AUTHOR INDEX

A

Abbas, A. K., Takaoki, M., and Greene, M. I. T lymphocyte-mediated suppression of myeloma function in vitro. IV. Generation of effector suppressor cells specific for myeloma idiotypes. 1216

Abo, T., Cooper, M. D., and Balch, C. M. Postnatal expansion of the natural killer and killer cell populations in humans identified by the monoclonal HNK-1 antibody. 321

Accolla, R. S. *See* Moretta, Accolla, and Cerotini.

Ackerman, S. J., Weil, G. J., and Gleich, G. J. Formation of Charcot-Leyden crystals by human basophils. 1597

Alpert, B., and Sprent, J. Role of the *H-2* complex in induction of T helper cells in vivo. III. Contribution of the *I-E* subregion to restriction sites recognized by I-A/E-restricted T cells. 548

Anderson, N. *See* Ross, Anderson, and Micklem.

Anderson, R. E. *See* Spellman and Anderson.

André, C. *See* Lafont, André, André, Gillon, and Fargier.

André, F. *See* Lafont, André, André, Gillon, and Fargier.

Andreach, M. *See* Pawlowski, Scott, Andreach, and Cohn.

—, *See* Scott, Pawlowski, Andreach, and Cohn.

—, *See* Scott, Pawlowski, Murray, Andreach, Zrike, and Cohn.

Andreeff, M. *See* Chiao, Andreeff, Freitag, and Arlin.

Andrighetto, G. *See* Heyman, Andrighetto, and Wigzell.

Appella, E. *See* Heber-Katz, Schwartz, Matis, Hannum, Fairwell, Appella, and Hansburg.

Arias, M. A. *See* Quintañs, Quan, and Arias.

Arlin, Z. *See* Chiao, Andreeff, Freitag, and Arlin.

Arnold, E. A., Katsnelson, I., and Hoffman, G. J. Proliferation and differentiation of hematopoietic stem cells in long-term cultures of adult hamster spleen. 1370

Asano, Y., and Hodes, R. J. T cell regulation of B cell activation. T cells independently regulate the responses mediated by distinct B cell subpopulations. 1267

Askenase, P. W. *See* Britz, Askenase, Ptak, Steinman, and Gershon.

Asofsky, R. *See* DeFranco, Raveche, Asofsky, and Paul.

Axberg, I. *See* Landegren, Ramstedt, Axberg, Ullberg, Jondal, and Wigzell.

Axelrad, A. A. *See* Vaithilingam and Axelrad.

B

Baer, R. L. *See* Belsito, Flotte, Lim, Baer, Thorbecke, and Gigli.

Balch, C. M. *See* Abo, Cooper, and Balch.

Bång, B. *See* Hurme, Sihvola, and Bång.

Barbarese, E. *See* Cyong, Witkin, Rieger, Barbarese, Good, and Day.

Bard, J. *See* McDougal, Shen, Cort, and Bard.

Batchelor, J. R. *See* Lechler and Batchelor.

Batsford, S. R. *See* Oite, Batsford, Mihatsch, Takamiya, and Vogt.

Battistella, R. *See* Delovitch, Harris, Battistella, and Kaufman.

Beachey, E. H. *See* Hasty, Beachey, Simpson, and Dale.

—, *See* Postlethwaite, Jackson, Beachey, and Kang.

Befus, A. D. *See* Tagliabue, Befus, Clark, and Bienenstock.

Bellone, C. J. *See* Jayaraman and Bellone.

—, *See* Jayaraman, Swierkosz, and Bellone.

Belsito, D. V., Flotte, T. J., Lim, H. W., Baer, R. L., Thorbecke, G. J., and Gigli, I. Effect of glucocorticosteroids on epidermal Langerhans cells. 291

Berche, P. A., and North, R. J. Non-H-2 restriction of expression of passively transferred delayed sensitivity. 1334

Bergstresser, P. R. *See* Streilein, Lonsberry, and Bergstresser.

Bernard, A., Gelin, C., Raynal, B., Pham, D., Gosse, C., and Boumsell, L. Phenomenon of human T cells rosetting with sheep erythrocytes analyzed with monoclonal antibodies. Modulation of a partially hidden epitope determining the conditions of interaction between T cells and erythrocytes. 1317

Bevan, M. J. *See* Hünig and Bevan.

—, *See* Klein, Raulet, Pasternack, and Bevan.

—, *See* Raulet and Bevan.

Bias, W. B. *See* Marsh, Hsu, Roebber, Ehrlich-Kautzky, Freidhoff, Meyers, Pollard, and Bias.

—, *See* Marsh, Meyers, Freidhoff, Ehrlich-Kautzky, Roebber, Norman, Hsu, and Bias.

Biddison, W. E. *See* Goulmy, van Leeuwen, Blokland, van Rood, and Biddison.

Bienenstock, J. *See* Tagliabue, Befus, Clark, and Bienenstock.

Bitter-Suermann, D. *See* Meuer, Zanker, Hadding, and Bitter-Suermann.

Blokland, E. *See* Goulmy, van Leeuwen, Blokland, van Rood, and Biddison.

Bofill, M. *See* Caligaris-Cappio, Gobbi, Bofill, and Janossy.

Boumsell, L. *See* Bernard, Gelin, Raynal, Pham, Gosse, and Boumsell.

Bourcet, E. *See* Yakura, Shen, Bourcet, and Boyse.

Boyse, E. A. *See* Yakura, Shen, Bourcet, and Boyse.

Bradley, S. M., Morrissey, P. J., Sharrow, S. O., and Singer, A. Tolerance of thymocytes to allogeneic i region determinants encountered prethymically. Evidence for expression of anti-Ia receptors by T cell precursors before their entry into the thymus. 1638

Braunsteiner, H. *See* Huber, Merkenschlager, Gattringer, Royston, Fink, and Braunsteiner.

Bretscher, P. A. *See* Tucker and Bretscher.

Britz, J. S., Askenase, P. W., Ptak, W., Steinman, R. M., and Gershon, R. K. Specialized antigen-presenting cells. Splenic dendritic cells and peritoneal-exudate

cells induced by mycobacteria activate effector T cells that are resistant to suppression. 1344

Brown, E. J. *See* Joiner, Hammer, Brown, Cole, and Frank.

—, *See* Joiner, Hammer, Brown, and Frank.

Brunet, E. *See* Rabinovitch, Dedet, Ryter, Robineaux, Topper, and Brunet.

Burkly, L. *See* Wortis, Burkly, Hughes, Roschelle, and Waneck.

Burton, R. C. *See* Urban, Burton, Holland, Kripke, and Schreiber.

Butcher, G. W., Corválan, J. R., Licence, D. R., and Howard, J. C. Immune response genes controlling responsiveness to major transplantation antigens. Specific major histocompatibility complex-linked defect for antibody responses to class I alloantigens. 303

C

Calderón, J. *See* de L. Muñoz, Calderón, and Rojkind.

Caligaris-Cappio, F., Gobbi, M., Bofill, M., and Janossy, G. Infrequent normal B lymphocytes express features of B-chronic lymphocytic leukemia. 623

Camblin, J. G. *See* Pandy, Shannon, Tsang, Fudenberg, and Camblin.

Cantor, H. *See* Fresno, McVay-Boudreau, and Cantor.

Capra, J. D. *See* Clark and Capra.

Carp, H. Mitochondrial *N*-formylmethionyl proteins as chemoattractants for neutrophils. 264

Centifanto-Fitzgerald, Y. M., Yamaguchi, T., Kaufman, H. E., Tognon, M., and Roizman, B. Ocular disease pattern induced by herpes simplex virus is genetically determined by a specific region of viral DNA. 475

Ceredig, Rh., Glasebrook, A. L., and MacDonald, H. R. Phenotypic and functional properties of murine thymocytes. I. Precursors of cytolytic T lymphocytes and interleukin 2-producing cells are all contained within a subpopulation of mature thymocytes as analyzed by monoclonal antibodies and flow microfluorometry. 358

—, **Jenkinson, E. J., MacDonald, H. R., and Owen, J. J. T.** Development of cytolytic T lymphocyte precursors in organ-cultured mouse embryonic thymus rudiments. 617

Cerotini, J.-C. *See* Moretta, Accolla, and Cerotini.

Chao, N. *See* Yamauchi, Chao, Murphy, and Gershon.

Chatterjee-Hasrouni, S., and Lala, P. K. Localization of paternal H-2K antigens on murine trophoblast cells in vivo. 1679

Cheever, M. A., Greenberg, P. D., Fefer, A., and Gillis, S. Augmentation of the anti-tumor therapeutic efficacy of long-term cultured T lymphocytes by in vivo administration of purified interleukin 2. 968

Chen, Y.-S. *See* Hamilton, Zabriskie, Lachman, and Chen.

Chiao, J. W., Andreeff, M., Freitag, W. B., and Arlin, Z. Induction of in vitro proliferation and maturation of human aneuploid myelogenous leukemic cells. 1357

Clark, A. F., and Capra, J. D. Ubiquitous nonimmunoglobulin *p*-azobenzenearsonate-binding molecules from lymphoid cells. 611

Clark, D. A. *See* Tagliabue, Befus, Clark, and Bienenstock.

Clark, R. B., and Shevach, E. M. Generation of T cell colonies from responder strain 2 guinea pigs which recognize the copolymer L-glutamic acid, L-lysine in association with nonresponder strain 13 Ia antigens. 635

Cohn, Z. A. *See* Pawlowski, Scott, Andreach, and Cohn.

—, *See* Rouzer, Scott, Hamill, and Cohn.

—, *See* Scott, Pawlowski, Andreach, and Cohn.

—, *See* Scott, Pawlowski, Murray, Andreach, Zrike, and Cohn.

Cole, R. J. *See* Joiner, Hammer, Brown, Cole, and Frank.

Coligan, J. E. *See* Plunkett, Coligan, David, and Freed.

Colvin, M. *See* Ozer, Cowens, Colvin, Nussbaum-Blumenson, and Sheedy.

Cooper, M. D. *See* Abo, Cooper, and Balch.

—, *See* Kuritani and Cooper.

Cort, S. P. *See* McDougal, Shen, Cort, and Bard.

Corválan, J. R. *See* Butcher, Corválan, Licence, and Howard.

Cossman, J. *See* Mond, Scher, Cossman, Kessler, Mongini, Hansen, Finkelman, and Paul.

Coulie, P. *See* Van Snick and Coulie.

Cowens, J. W. *See* Ozer, Cowens, Colvin, Nussbaum-Blumenson, and Sheedy.

Cremer, M. A. *See* Stuart, Cremer, Townes, and Kang.

Cunningham, A. C. *See* Slate, D'Eustachio, Pravtcheva, Cunningham, Nagata, Weissmann, and Ruddle.

Cunningham-Rundles, C. Naturally occurring autologous anti-idiotypic antibodies. Participation in immune complex formation in selective IgA deficiency. 711

Cyong, J.-C., Witkin, S. S., Rieger, B., Barbarese, E., Good, R. A., and Day, N. K. Antibody-independent complement activation by myelin via the classical complement pathway. 587

D

Dale, J. B. *See* Hasty, Beachey, Simpson, and Dale.

David, C. S. *See* Plunkett, Coligan, David, and Freed.

Day, N. K. *See* Cyong, Witkin, Rieger, Barbarese, Good, and Day.

de Fatima Lima, M. *See* Szarfman, Terranova, Rennard, Foidart, de Fatima Lima, Scheinman, and Martin.

de L. Muñoz, Ma., Calderón, J., and Rojkind, M. The collagenase of *Entamoeba histolytica*. 42

Dedet, J.-P. *See* Rabinovitch, Dedet, Ryter, Robineaux, Topper, and Brunet.

DeFranco, A. L., Raveche, E. S., Asofsky, R., and Paul, W. E. Frequency of B lymphocytes responsive to anti-immunoglobulin. 1523

Delovitch, T. L., Harris, J. F., Battistella, R., and Kaufman, K. Role of Ia antigens in graft vs. host reactions. II. Molecular and functional analysis of T cell alloreactivity by the characterization of host Ia antigens on alloactivated donor T cells. 61

D'Eustachio, P. *See* Slate, D'Eustachio, Pravtcheva, Cunningham, Nagata, Weissmann, and Ruddle.

—, *See* Yagi, D'Eustachio, Ruddle, and Koshland.

Dichter, M. A. *See* Nepom, Weiner, Dichter, Tardieu, Spriggs, Gramm, Powers, Fields, and Greene.

Diener, E. *See* Jaworski, Shiozawa, and Diener.

Dippold, W. G. *See* Pukel, Lloyd, Travassos, Dippold, Oettgen, and Old.

Dixon, F. J. *See* Hang, Theofilopoulos, and Dixon.
—, *See* Hara, Izui, and Dixon.
Dodge, G. R. *See* Rappaport and Dodge.
Dorf, M. E. *See* Lei, Dorf, and Waltenbaugh.

E

Edgington, T. S. *See* Schwartz, Levy, Fair, and Edgington.
Ehrlich-Kautzky, E. *See* Marsh, Hsu, Roebber, Ehrlich-Kautzky, Freidhoff, Meyers, Pollard, and Bias.
—, *See* Marsh, Meyers, Freidhoff, Ehrlich-Kautzky, Roebber, Norman, Hsu, and Bias.
Emlen, W., and Mannik, M. Clearance of circulating DNA-anti-DNA immune complexes in mice. 1210
Esser, K. M. *See* Sacks, Esser, and Sher.
Ezekowitz, R. A. B., and Gordon, S. Down-regulation of mannosyl receptor-mediated endocytosis and antigen F4/80 in bacillus Calmette-Guérin-activated mouse macrophages. Role of T lymphocytes and lymphokines. 1623

F

Fair, D. S. *See* Schwartz, Levy, Fair, and Edgington.
Fairwell, T. *See* Heber-Katz, Schwartz, Matis, Hannum, Fairwell, Appella, and Hansburg.
Fargier, M.-C. *See* Lafont, André, André, Gillon, and Fargier.
Farrar, J. *See* Howard, Farrar, Hilfiker, Johnson, Takatsu, Hamaoka, and Paul.
Fathman, C. G. *See* Infante, Infante, Gillis, and Fathman.
Fauci, A. S. *See* Lane, Shelhamer, Mostowski, and Fauci.
Fefer, A. *See* Cheever, Greenberg, Fefer, and Gillis.
Fields, B. N. *See* Nepom, Weiner, Dichter, Tardieu, Spriggs, Gramm, Powers, Fields, and Greene.
Finberg, R. W. *See* Shapiro, Onderdonk, Kasper, and Finberg.
Fink, U. *See* Huber, Merkenschlager, Gattringer, Royston, Fink, and Braunsteiner.
Finkelman, F. D. *See* Mond, Scher, Cossman, Kessler, Mongini, Hansen, Finkelman, and Paul.
Flaherty, L. *See* Forman, Trial, Tonkonogy, and Flaherty.
—, *See* Plate, McDaniel, Flaherty, Stimpfling, Melvold, and Martin.
Flotte, T. J. *See* Belsito, Flotte, Lim, Baer, Thorbecke, and Gigli.
Foidart, J.-M. *See* Szarfman, Terranova, Rennard, Foidart, de Fatima Lima, Scheinman, and Martin.
Forman, J., Trial, J., Tonkonogy, S., and Flaherty, L. The *Qa2* subregion controls the expression of two antigens recognized by the *H-2*-unrestricted cytotoxic T cells. 749
—, *See* Keene and Forman
Fradelizi, D., and Gresser, I. Interferon inhibits the generation of allospecific suppressor T lymphocytes. 1610
Frank, M. M. *See* Joiner, Hammer, Brown, Cole, and Frank.
—, *See* Joiner, Hammer, Brown, and Frank.
Freed, J. H. *See* Plunkett, Coligan, David, and Freed.
Freidhoff, L. R. *See* Marsh, Hsu, Roebber, Ehrlich-Kautzky, Freidhoff, Meyers, Pollard, and Bias.
Freidhoff, L. R. *See* Marsh, Meyers, Freidhoff, Ehrlich-Kautzky, Roebber, Norman, Hsu, and Bias.
Freitag, W. B. *See* Chiao, Andreeff, Freitag, and Arlin.
Fresno, M., McVay-Boudreau, L., and Cantor, H. Antigen-specific T lymphocyte clones. III. Papain splits purified T-suppressor molecules into two functional domains. 981
Fudenberg, H. H. *See* Pandy, Shannon, Tsang, Fudenberg, and Camblin.

G

Gallo, R. C. *See* Salahuddin, Markham, and Gallo.
Gattringer, C. *See* Huber, Merkenschlager, Gattringer, Royston, Fink, and Braunsteiner.
Gelin, C. *See* Bernard, Gelin, Raynal, Pham, Gosse, and Boumsell.
Gershon, R. K. *See* Britz, Askenase, Ptak, Steinman, and Gershon.
—, *See* Schwartz, Sutton, and Gershon.
—, *See* Yamauchi, Chao, Murphy, and Gershon.
Gershwin, M. E. *See* Jyonouchi, Kincade, Landreth, Lee, Good, and Gershwin.
Gigli, I. *See* Belsito, Flotte, Lim, Baer, Thorbecke, and Gigli.
—, *See* Pfaffenbach, Lamm, and Gigli.
Gillis, S. *See* Infante, Infante, Gillis, and Fathman.
—, *See* Cheever, Greenberg, Fefer, and Gillis.
Gillon, J. *See* Lafont, André, André, Gillon, and Fargier.
Glasebrook, A. L. *See* Ceredig, Glasebrook, and MacDonald.
—, *See* Zubler and Glasebrook.
Gleich, G. J. *See* Ackerman, Weil, and Gleich.
Gleichmann, E. *See* Rolink, Radaszkiewicz, Pals, van der Meer, and Gleichmann.
—, *See* van Rappard-van der Veen, Rolink, and Gleichmann.
Glimcher, L. H., Kim, K.-J., Green, I., and Paul, W. E. Ia antigen-bearing B cell tumor lines can present protein antigen and alloantigen in a major histocompatibility complex-restricted fashion to antigen-reactive T cells. 445
Gobbi, M. *See* Caligaris-Cappio, Gobbi, Bofill, and Janossy.
Goldman, M., Rose, L. M., Hochmann, A., and Lambert, P. H. Deposition of idiotype-anti-idiotype immune complexes in renal glomeruli after polyclonal B cell activation. 1385
Good, R. A. *See* Cyong, Witkin, Rieger, Barbarese, Good, and Day.
—, *See* Jyonouchi, Kincade, Landreth, Lee, Good, and Gershwin.
Gordon, S. *See* Ezekowitz and Gordon.
Gorsky, T. *See* Vánky, Gorsky, Gorsky, Masucci, and Klein.
Gorsky, Y. *See* Vánky, Gorsky, Gorsky, Masucci, and Klein.
Gosse, C. *See* Bernard, Gelin, Raynal, Pham, Gosse, and Boumsell.
Goulmy, E., van Leeuwen, A., Blokland, E., van Rood, J. J., and Biddison, W. E. Major histocompatibility complex-restricted H-Y-specific antibodies and cytotoxic T lymphocytes may recognize different self determinants. 1567
Gramm, C. F. *See* Nepom, Weiner, Dichter, Tardieu, Spriggs, Gramm, Powers, Fields, and Greene.
Green, I. *See* Glimcher, Kim, Green, and Paul.

Greenberg, P. D. *See* Cheever, Greenberg, Fefer, and Gillis.
Greene, M. I. *See* Abbas, Takaoki, and Greene.
—, *See* Nepom, Weiner, Dichter, Tardieu, Spriggs, Gramm, Powers, Fields, and Greene.
Gresser, I. *See* Fradelizi and Gresser.
Grimm, E. A., Mazumder, A., Zhang, H. Z., and Rosenberg, S. A. Lymphokine-activated killer cell phenomenon. Lysis of natural killer-resistant fresh solid tumor cells by interleukin 2-activated autologous human peripheral blood lymphocytes. 1823

H

Hadding, U. *See* Meuer, Zanker, Hadding, and Bitter-Suermann.
Hahn, H. *See* Kaufmann and Hahn.
Hair, L. S. *See* Van Voorhis, Hair, Steinman, and Kaplan.
Hamaoka, T. *See* Howard, Farrar, Hilfiker, Johnson, Takatsu, Hamaoka, and Paul.
Hamill, A. L. *See* Rouzer, Scott, Hamill, and Cohn.
Hamilton, J. A., Zabriskie, J. B., Lachman, L. B., and Chen, Y.-S. Streptococcal cell walls and synovial cell activation. Stimulation of synovial fibroblast plasminogen activator activity by monocytes treated with group A streptococcal cell wall sonicates and muramyl dipeptide. 1702
Hammer, C. H. *See* Joiner, Hammer, Brown, Cole, and Frank.
—, *See* Joiner, Hammer, Brown, and Frank.
Hang, L., Theofilopoulos, A. N., and Dixon, F. J. A spontaneous rheumatoid arthritis-like disease in MRL/l mice. 1690
Hannestad, K. *See* Jørgensen and Hannestad.
Hannum, C. *See* Heber-Katz, Schwartz, Matis, Hannum, Fairwell, Appella, and Hansburg.
Hansburg, D. *See* Heber-Katz, Schwartz, Matis, Hannum, Fairwell, Appella, and Hansburg.
Hansen, C. *See* Mond, Scher, Cossman, Kessler, Mongini, Hansen, Finkelman, and Paul.
Hara, I., Izui, S., and Dixon, F. J. Murine serum glycoprotein gp70 behaves as an acute phase reactant. 345
Hardt, C. *See* Wagner, Hardt, Rouse, Röllinghoff, Scheurich, and Pfizenmaier.
Harris, J. F. *See* Delovitch, Harris, Battistella, and Kaufman.
Hasty, D. L., Beachey, E. H., Simpson, W. A., and Dale, J. B. Hybridoma antibodies against protective and nonprotective antigenic determinants of a structurally defined polypeptide fragment of streptococcal M protein. 1010
Hathcock, K. S. *See* Kruisbeek, Hathcock, Hodes, and Singer.
—, *See* Singer, Hathcock, and Hodes.
Heber-Katz, E., Schwartz, R. H., Matis, L. A., Hannum, C., Fairwell, T., Appella, E., and Hansburg, D. Contribution of antigen-presenting cell major histocompatibility complex gene products to the specificity of antigen-induced T cell activation. 1086
Hedrick, S. M. *See* Matis, Jones, Murphy, Hedrick, Lerner, Janeway, McNicholas, and Schwartz.
Henderson, W. R. *See* Jörg, Henderson, Murphy, and Klebanoff.
Herzenberg, L. A., and Tokuhisa, T. Epitope-specific regulation. I. Carrier-specific induction of suppression for IgG anti-hapten antibody responses. 1730
—, **Tokuhisa, T., Parks, D. R., and Herzenberg, L. A.** Epitope-specific regulation. II. A bistable, Igh-restricted regulatory mechanism central to immunologic memory. 1741
Herzenberg, L. A. *See* Herzenberg, Tokuhisa, Parks, and Herzenberg.
Heyman, B., Andrighetto, G., and Wigzell, H. Antigen-dependent IgM-mediated enhancement of the sheep erythrocyte response in mice. Evidence for induction of B cells with specificities other than that of the injected antibodies. 994
Hieter, P. A. *See* McBride, Hieter, Hollis, Swan, Otey, and Leder.
Hilfiker, M. *See* Howard, Farrar, Hilfiker, Johnson, Takatsu, Hamaoka, and Paul.
Hochmann, A. *See* Goldman, Rose, Hochmann, and Lambert.
Hodes, R. J. *See* Asano and Hodes.
—, *See* Kruisbeek, Hathcock, Hodes, and Singer.
—, *See* Miller, Nadler, Hodes, and Sachs.
—, *See* Singer, Hathcock, and Hodes.
Hoffman, G. J. *See* Arnold, Katsnelson, and Hoffman.
Holland, J. M. *See* Urban, Burton, Holland, Kripke, and Schreiber.
Hollis, G. F. *See* McBride, Hieter, Hollis, Swan, Otey, and Leder.
Howard, J. C. *See* Butcher, Corválan, Licence, and Howard.
Howard, M., Farrar, J., Hilfiker, M., Johnson, B., Takatsu, K., Hamaoka, T., and Paul, W. E. Identification of a T cell-derived B cell growth factor distinct from interleukin 2. 914
Hsu, S. H. *See* Marsh, Hsu, Roebber, Ehrlich-Kautzky, Freidhoff, Meyers, Pollard, and Bias.
—, *See* Marsh, Meyers, Freidhoff, Ehrlich-Kautzky, Roebber, Norman, Hsu, and Bias.
Huber, C., Merkenschlager, M., Gattringer, C., Royston, I., Fink, U., and Braunsteiner, H. Human autologous mixed lymphocyte reactivity is primarily specific for xenoprotein determinants adsorbed to antigen-presenting cells during rosette formation with sheep erythrocytes. 1222
Hughes, D. *See* Wortis, Burkly, Hughes, Roschelle, and Waneck.
Hugli, T. E. *See* Morgan, Weigle, and Hugli.
Hünig, T. R., and Bevan, M. J. Antigen recognition by cloned cytotoxic T lymphocytes follows rules predicted by the altered-self hypothesis. 111
Hurme, M., Sihvola, M., and Bång, B. During lymphatic regeneration, precursors for major histocompatibility complex-restricted cytotoxic T cells appear before alloreactive precursors. 327
Hurtenbach, U., and Shearer, G. M. Germ cell-induced immune suppression in mice. Effect of inoculation of syngeneic spermatozoa on cell-mediated immune responses. 1719

I

Iida, K., Mornaghi, R., and Nussenzweig, V. Complement receptor deficiency in erythrocytes from patients with systemic lupus erythematosus. 1427

Infante, A. J., Infante, P. D., Gillis, S.,, and Fathman, C. G. Definition of T cell idiotypes using anti-idiotypic antisera produced by immunization with T cell clones. 1100

Infante, P. D. *See* Infante, Infante, Gillis, and Fathman.

Isakson, P. C., Puré, E., Vitetta, E. S., and Krammer, P. H. T cell-derived B cell differentiation factor(s). Effect on the isotype switch of murine B cells. 734

Izui, S. *See* Hara, Izui, and Dixon.

J

Jackson, B. K. *See* Postlethwaite, Jackson, Beachey, and Kang.

Janeway, C. A., Jr. *See* Matis, Jones, Murphy, Hedrick, Lerner, Janeway, McNicholas, and Schwartz.

—, *See* McNicholas, Murphy, Matis, Schwartz, Lerner, Janeway, and Jones.

Janossy, G. *See* Caligaris-Cappio, Gobbi, Bofill, and Janossy.

Jaworski, M. A., Shiozawa, C., and Diener, E. Triggering of affinity-enriched B cells. Analysis of B cell stimulation by antigen-specific helper factor or lipopolysaccharide. I. Dissection into proliferative and differentiative signals. 248

Jayaraman, S., Swierkosz, J. E., and Bellone, C. J. T cell replacing factor substitutes for an I-J; idiotype-specific T helper cell. 641

—, **and Bellone, C. J.** Hapten-specific responses to the phenyltrimethylamino hapten. III. Mice whose delayed-type hypersensitivity responses cannot be abrogated by the presence of anti-idiotypic suppressor T cells lack a critical modulatory T cell function. 1810

Jenkinson, E. J. *See* Ceredig, Jenkinson, MacDonald, and Owen.

Johnson, B. *See* Howard, Farrar, Hilfiker, Johnson, Takatsu, Hamaoka, and Paul.

Joiner, K. A., Hammer, C. H., Brown, E. J., Cole, R. J., and Frank, M. M. Studies on the mechanism of bacterial resistance to complement-mediated killing. I. Terminal complement components are deposited and released from *Salmonella minnesota* S218 without causing bacterial death. 797

—, **Hammer, C. H., Brown, E. J., and Frank, M. M.** Studies on the mechanism of bacterial resistance to complement-mediated killing. II. C8 and C9 release C5b67 from the surface of *Salmonella minnesota* S218 because the terminal complex does not insert into the bacterial outer membrane. 809

Jondal, M. *See* Landegren, Ramstedt, Axberg, Ullberg, Jondal, and Wigzell.

Jones, P. P. *See* Matis, Jones, Murphy, Hedrick, Lerner, Janeway, McNicholas, and Schwartz.

—, *See* McNicholas, Murphy, Matis, Schwartz, Lerner, Janeway, and Jones.

Jörg, A., Henderson, W. R., Murphy, R. C., and Klebanoff, S. J. Leukotriene generation by eosinophils. 390

Jørgensen, T., and Hannestad, K. Helper T cell recognition of the variable domains of a mouse myeloma protein (315). Effect of the major histocompatibility complex and domain conformation. 1587

Jyonouchi, H., Kincade, P. W., Landreth, K. S., Lee, G., Good, R. A., and Gershwin, M. E. Age-dependent deficiency of B lymphocyte lineage precursors in NZB mice. 1665

K

Kang, A. H. *See* Postlethwaite, Jackson, Beachey, and Kang.

—, *See* Stuart, Cremer, Townes, and Kang.

Kaplan, G. *See* Van Voorhis, Hair, Steinman, and Kaplan.

Kasper, D. L. *See* Shapiro, Onderdonk, Kasper, and Finberg.

Katsnelson, I. *See* Arnold, Katsnelson, and Hoffman.

Kaufman, H. E. *See* Centifanto-Fitzgerald, Yamaguchi, Kaufman, Tognon, and Roizman.

Kaufman, K. *See* Delovitch, Harris, Battistella, and Kaufman.

Kaufmann, S. H. E., and Hahn, H. Biological functions of T cell lines with specificity for the intracellular bacterium *Listeria monocytogenes* in vitro and in vivo. 1754

Kearns, M., and Lala, P. K. Bone marrow origin of decidual cell precursors in the pseudopregnant mouse uterus. 1537

Keene, J.-A., and Forman, J. Helper activity is required for the in vivo generation of cytotoxic T lymphocytes. 768

Kersey, J. H. *See* Vallera, Youle, Neville, and Kersey.

Kessler, S. *See* Mond, Scher, Cossman, Kessler, Mongini, Hansen, Finkelman, and Paul.

Kim, K.-J. *See* Glimcher, Kim, Green, and Paul.

Kincade, P. W. *See* Jyonouchi, Kincade, Landreth, Lee, Good, and Gershwin.

Kiyono, H., McGhee, J. R., Wannemuehler, M. J., and Michalek, S. M. Lack of oral tolerance in C3H/HeJ mice. 605

Klebanoff, S. J. *See* Jörg, Henderson, Murphy, and Klebanoff.

—, *See* Nathan and Klebanoff.

Klein, E. *See* Vánky, Gorsky, Gorsky, Masucci, and Klein.

Klein, J. R., Raulet, D. H., Pasternack, M. S., and Bevan, M. J. Cytotoxic T lymphocytes produce immune interferon in response to antigen or mitogen. 1198

Klinman, N. R. *See* Wylie, Sherman, and Klinman.

Korngold, R., and Sprent, J. Features of T cells causing H-2-restricted lethal graft-vs.-host disease across minor histocompatibility barriers. 872

Koshland, M. E. *See* Yagi, D'Eustachio, Ruddle, and Koshland.

Kozak, C. A., and Rowe, W. P. Genetic mapping of ecotropic murine leukemia virus-inducing loci in six inbred strains. 524

Krammer, P. H. *See* Isakson, Puré, Vitetta, and Krammer.

Kripke, M. L. *See* Urban, Burton, Holland, Kripke, and Schreiber.

Krolick, K. A., Uhr, J. W., Slavon, S., and Vitetta, E. S. In vivo therapy of a murine B cell tumor (BCL_1) using antibody-ricin A chain immunotoxins. 1797

Kruisbeek, A. M., Hathcock, K. S., Hodes, R. J., and Singer, A. T cells from fully H-2 allogeneic (A → B) radiation bone marrow chimeras are functionally competent and host restricted but are alloreactive against hybrid Ia determinants expressed on (A × B)F_1 cells. 1864

Kuritani, T., and Cooper, M. D. Human B cell differentiation. II. Pokeweed mitogen-responsive B cells belong to a surface immunoglobulin D-negative subpopulation. 1561

—, and Cooper, M. D. Human B cell differentiation. I. Analysis of immunoglobulin heavy chain switching using monoclonal anti-immunoglobulin M, G, and A antibodies and pokeweed mitogen-induced plasma cell differentiation. 839

Kurosawa, Y., and Tonegawa, S. Organization, structure, and assembly of immunoglobulin heavy chain diversity DNA segments. 201

L

Lachman, L. B. *See* Hamilton, Zabriskie, Lachman, and Chen.

Lafont, S., André, C., André, F., Gillon, J., and Fargier, M.-C. Abrogation by subsequent feeding of antibody response, including IgE, in parenterally immunized mice. 1573

Lala, P. K. *See* Chatterjee-Hasrouni and Lala.

—, *See* Kearns and Lala.

Lambert, P. H. *See* Goldman, Rose, Hochmann, and Lambert.

Lambris, J. D., and Ross, G. D. Characterization of the lymphocyte membrane receptor for factor H (β1H-globulin) with an antibody to anti-factor H idiotype. 1400

—, *See* Ross and Lambris.

Lamm, M. E. *See* Pfaffenbach, Lamm, and Gigli.

Landegren, U., Ramstedt, U., Axberg, I., Ullberg, M., Jondal, M., and Wigzell, H. Selective inhibition of human T cell cytotoxicity at levels of target recognition or initiation of lysis by monoclonal OKT3 and Leu-2a antibodies. 1579

Landreth, K. S. *See* Jyonouchi, Kincade, Landreth, Lee, Good, and Gershwin.

Lane, H. C., Shelhamer, J. H., Mostowski, H. S., and Fauci, A. S. Human monoclonal anti-keyhole limpet hemocyanin antibody-secreting hybridoma produced from peripheral blood B lymphocytes of a keyhole limpet hemocyanin-immune individual. 333

Lanier, L. L. *See* Walker, Lanier, and Warner.

Laskin, C. A., Smathers, P. A., Reeves, J. P., and Steinberg, A. D. Studies of defective tolerance induction in NZB mice. Evidence for a marrow pre-T cell defect. 1025

LeBain, T. W. *See* Platt, LeBain, and Michael.

Lechler, R. I., and Batchelor, J. R. Restoration of immunogenicity to passenger cell-depleted kidney allografts by the addition of donor strain dendritic cells. 31

Leder, P. *See* McBride, Hieter, Hollis, Swan, Otey, and Leder.

Lee, G. *See* Jyonouchi, Kincade, Landreth, Lee, Good, and Gershwin.

Lei, H.-Y., Dorf, M. E., and Waltenbaugh, C. Regulation of immune responses by *I-J* gene products. II. Presence of both $I\text{-}J^b$ and $I\text{-}J^k$ suppressor factors in (nonsuppressor X nonsuppressor)F_1 mice. 955

Lerner, E. A. *See* Matis, Jones, Murphy, Hedrick, Lerner, Janeway, McNicholas, and Schwartz.

—, *See* McNicholas, Murphy, Matis, Schwartz, Lerner, Janeway, and Jones.

Levy, G. A. *See* Schwartz, Levy, Fair, and Edgington.

Licence, D. R. *See* Butcher, Corválan, Licence, and Howard.

Lim, H. W. *See* Belsito, Flotte, Lim, Baer, Thorbecke, and Gigli.

Lloyd, K. O. *See* Pukel, Lloyd, Travassos, Dippold, Oettgen, and Old.

Longo, D. L. *See* Tse, Mond, and Longo.

Lonsberry, L. W. *See* Streilein, Lonsberry, and Bergstresser.

Lynch, R. G. *See* Milburn and Lynch.

M

MacDonald, H. R. *See* Ceredig, Glasebrook, and MacDonald.

—, *See* Ceredig, Jenkinson, MacDonald, and Owen.

Mannik, M. *See* Emlen and Mannik.

Markham, P. D. *See* Salahuddin, Markham, and Gallo.

Marsh, D. G., Hsu, S. H., Roebber, M., Ehrlich-Kautzky, E., Freidhoff, L. R., Meyers, D. A., Pollard, M. K., and Bias, W. B. HLA-Dw2: a genetic marker for human immune response to short ragweed pollen allergen Ra5. I. Response resulting primarily from natural antigenic exposure. 1439

—, Meyers, D. A., Freidhoff, L. R., Ehrlich-Kautzky, E., Roebber, M., Norman, P. S., Hsu, S. H., and Bias, W. B. HLA-Dw2: a genetic marker for human immune response to short ragweed pollen allergen Ra5. II. Response after ragweed immunotherapy. 1452

Martin, G. R. *See* Szarfman, Terranova, Rennard, Foidart, de Fatima Lima, Scheinman, and Martin.

Martin, M. A. *See* O'Brien, Moore, Martin, and Womack.

Martin, N. Q. *See* Plate, McDaniel, Flaherty, Stimpfling, Melvold, and Martin.

Masucci, M.-G. *See* Vánky, Gorsky, Gorsky, Masucci, and Klein.

Matis, L. A., Jones, P. P., Murphy, D. B., Hedrick, S. M., Lerner, E. A., Janeway, C. A., Jr., McNicholas, J. M., and Schwartz, R. H. Immune response gene function correlates with the expression of an Ia antigen. II. A quantitative deficiency in A_e:Eα complex expression causes a corresponding defect in antigen-presenting cell function. 508

—, *See* Heber-Katz, Schwartz, Matis, Hannum, Fairwell, Appella, and Hansburg.

—, *See* McNicholas, Murphy, Matis, Schwartz, Lerner, Janeway, and Jones.

Mazumder, A. *See* Grimm, Mazumder, Zhang, and Rosenberg.

McBride, O. W., Hieter, P. A., Hollis, G. F., Swan, D., Otey, M. C., and Leder, P. Chromosomal location of human kappa and lambda immunoglobulin light chain constant region genes. 1480

McCubrey, J., and Risser, R. Allelism and linkage studies of murine leukemia virus activation genes in low leukemic strains of mice. 1233

McDaniel, C. A. *See* Plate, McDaniel, Flaherty, Stimpfling, Melvold, and Martin.

McDougal, J. S., Shen, F. W., Cort, S. P., and Bard, J. Two Ly-1 T helper cell subsets distinguished by Qa-1 phenotype. The priming environment determines whether one or both subsets will be generated. 831

McGhee, J. R. *See* Kiyono, McGhee, Wannemuehler, and Michalek.

McKimm-Breschkin, J. L., Mottram, P. L., Thomas, W. R., and Miller, J. F. A. P. Antigen-specific production of immune interferon by T cell lines. 1204

McNicholas, J. M., Murphy, D. B., Matis, L. A., Schwartz, R. H., Lerner, E. A., Janeway, C. A., Jr., and Jones, P. P. Immune response gene function correlates with the expression of an Ia antigen. I. Preferential association of certain A_e and $E\alpha$ chains results in a quantitative deficiency in expression of an A_e:$E\alpha$ complex. 490

—, *See* Matis, Jones, Murphy, Hedrick, Lerner, Janeway, McNicholas, and Schwartz.

McVay-Boudreau, L. *See* Fresno, McVay-Boudreau, and Cantor.

Melvold, R. W. *See* Plate, McDaniel, Flaherty, Stimpfling, Melvold, and Martin.

Merkenschlager, M. *See* Huber, Merkenschlager, Gattringer, Royston, Fink, and Braunsteiner.

Metcalf, E. S. *See* Mongini, Paul, and Metcalf.

Meuer, S., Zarker, B., Hadding, U., and Bitter-Suermann, D. Low zone desensitization: a stimulus-specific control mechanism of cell response. Investigations on anaphylatoxin-induced platelet secretion. 698

Meyers, D. A. *See* Marsh, Hsu, Roebber, Ehrlich-Kautzky, Freidhoff, Meyers, Pollard, and Bias.

—, *See* Marsh, Meyers, Freidhoff, Ehrlich-Kautzky, Roebber, Norman, Hsu, and Bias.

Michael, A. F. *See* Platt, LeBain, and Michael.

Michalek, S. M. *See* Kiyono, McGhee, Wannemuehler, and Michalek.

Micklem, H. S. *See* Ross, Anderson, and Micklem.

Mihatsch, M. J. *See* Oite, Batsford, Mihatsch, Takamiya, and Vogt.

Milburn, G. L., and Lynch, R. G. Immunoregulation of murine myeloma in vitro. II. Suppression of MOPC-315 immunoglobulin secretion and synthesis by idiotype-specific suppressor T cells. 852

Miller, G. G. P., Nadler, P. I., Hodes, R. J., and Sachs, D. H. Modification of T cell antinuclease idiotype expression by in vivo administration of anti-idiotype. 190

Miller, J. F. A. P. *See* McKimm-Breschkin, Mottram, Thomas, and Miller.

Mond, J. J., Scher, I., Cossman, J., Kessler, S., Mongini, P. K. A., Hansen, C., Finkelman, F. D., and Paul, W. E. Role of the thymus in directing the development of a subset of B lymphocytes. 924

Mond, J. J. *See* Tse, Mond, and Longo.

Mongini, P. K. A., Paul, W. E., and Metcalf, E. S. T cell regulation of immunoglobulin class expression in the antibody response to trinitrophenyl-Ficoll. Evidence for T cell enhancement of the immunoglobulin class switch. 884

—, *See* Mond, Scher, Cossman, Kessler, Mongini, Hansen, Finkelman, and Paul.

Moore, J. L. *See* O'Brien, Moore, Martin, and Womack.

Moorhead, J. W. Antigen receptors on murine T lymphocytes in contact sensitivity. III. Mechanism of negative feedback regulation by auto-anti-idiotypic antibody. 820

Moretta, A., Accolla, R. S., and Cerotini, J.-C. IL-2-mediated T cell proliferation in humans is blocked by a monoclonal antibody directed against monomorphic determinants of HLA-DR antigens. 599

Morgan, E. L., Weigle, W. O., and Hugli, T. E. Anaphylatoxin-mediated regulation of the immune response. I. C3a-mediated suppression of human and murine humoral immune responses. 1412

Mornaghi, R. *See* Iida, Mornaghi, and Nussenzweig.

Morrissey, P. J. *See* Bradley, Morrissey, Sharrow, and Singer.

Mostowski, H. S. *See* Lane, Shelhamer, Mostowski, and Fauci.

Mottram, P. L. *See* McKimm-Breschkin, Mottram, Thomas, and Miller.

Murphy, D. B. *See* Matis, Jones, Murphy, Hedrick, Lerner, Janeway, McNicholas, and Schwartz.

—, *See* McNicholas, Murphy, Matis, Schwartz, Lerner, Janeway, and Jones.

—, *See* Yamauchi, Chao, Murphy, and Gershon.

Murphy, R. C. *See* Jörg, Henderson, Murphy, and Klebanoff.

Murray, H. W. *See* Scott, Pawlowski, Murray, Andreach, Zrike, and Cohn.

N

Nadler, P. I. *See* Miller, Nadler, Hodes, and Sachs.

Nagata, S. *See* Slate, D'Eustachio, Pravtcheva, Cunningham, Nagata, Weissmann, and Ruddle.

Nathan, C. F., and Klebanoff, S. J. Augmentation of spontaneous macrophage-mediated cytolysis by eosinophil peroxidase. 1291

Neilson, E. G., and Phillips, S. M. Murine interstitial nephritis. I. Analysis of disease susceptibility and its relationship to pleiomorphic gene products defining both immune-response genes and a restrictive requirement for cytotoxic T cells at H-2K. 1075

—, **and Phillips, S. M.** Suppression of interstitial nephritis by auto-anti-idiotypic immunity. 179

Nepom, J. T., Weiner, H. L., Dichter, M. A., Tardieu, M., Spriggs, D. R., Gramm, C. F., Powers, M. L., Fields, B. N., and Greene, M. I. Identification of a hemagglutinin-specific idiotype associated with reovirus recognition shared by lymphoid and neural cells. 155

Neville, D. M., Jr. *See* Vallera, Youle, Neville, and Kersey.

Norman, P. S. *See* Marsh, Meyers, Freidhoff, Ehrlich-Kautzky, Roebber, Norman, Hsu, and Bias.

North, R. J. Cyclophosphamide-facilitated adoptive immunotherapy of an established tumor depends on elimination of tumor-induced suppressor T cells. 1063

—, *See* Berche and North.

Nussbaum-Blumenson, A. *See* Ozer, Cowens, Colvin, Nussbaum-Blumenson, and Sheedy.

Nussenzweig, V. *See* Iida, Mornaghi, and Nussenzweig.

O

O'Brien, S. J., Moore, J. L., Martin, M. A.,, and Womack, J. E. Evidence for the horizontal acquisition of murine AKR virogenes by recent horizontal infection of the germ line. 1120

Oettgen, H. F. *See* Pukel, Lloyd, Travassos, Dippold, Oettgen, and Old.

Ohmori, H., and Yamamoto, I. Mechanism of augmentation of the antibody response in vitro by 2-mercaptoethanol in murine lymphocytes. I. 2-Mercaptoeth-

anol-induced stimulation of the uptake of cystine, an essential amino acid. 1277

Oite, T., Batsford, S. R., Mihatsch, M. J., Takamiya, H., and Vogt, A. Quantitative studies of *in situ* immune complex glomerulonephritis in the rat induced by planted, cationized antigen. 460

Old, L. J. *See* Pukel, Lloyd, Travassos, Dippold, Oettgen, and Old.

Onderdonk, A. B. *See* Shapiro, Onderdonk, Kasper, and Finberg.

Otey, M. C. *See* McBride, Hieter, Hollis, Swan, Otey, and Leder.

Owen, F. L., Spurll, G. M., and Panageas, E. $Tthy^d$, a new thymocyte alloantigen linked to Igh-L. Implications for a switch mechanism for T cell antigen receptors. 52

Owen, J. J. T. *See* Ceredig, Jenkinson, MacDonald, and Owen.

Ozer, H., Cowens, J. W., Colvin, M., Nussbaum-Blumenson, A., and Sheedy, D. In vitro effects of 4-hydroperoxycyclophosphamide on human immunoregulatory T subset function. I. Selective effects on lymphocyte function in T-B cell collaboration. 276

P

Pals, S. T. *See* Rolink, Radaszkiewicz, Pals, van der Meer, and Gleichmann.

Panageas, E. *See* Owen, Spurll, and Panageas.

Pandy, J. P., Shannon, B. T., Tsang, K. Y., Fudenberg, H. H., and Camblin, J. G. Heterozygosity at Gm loci associated with humoral immunity to osteosarcoma. 1228

Parks, D. R. *See* Herzenberg, Tokuhisa, Parks, and Herzenberg.

Pasternack, M. S. *See* Klein, Raulet, Pasternack, and Bevan.

Patel, P. J. Aging and antimicrobial immunity: lowered efficiency of protective T cells as a contributing factor for the decreased resistance of senescent mice to listeriosis. 1870

Paul, W. E. *See* DeFranco, Raveche, Asofsky, and Paul.

—, *See* Glimcher, Kim, Green, and Paul.

—, *See* Howard, Farrar, Hilfiker, Johnson, Takatsu, Hamaoka, and Paul.

—, *See* Mond, Scher, Cossman, Kessler, Mongini, Hansen, Finkelman, and Paul.

—, *See* Mongini, Paul, and Metcalf.

Pawlowski, N. A., Scott, W. A., Andreach, M., and Cohn, Z. A. Uptake and metabolism of monohydroxy-eicosatetraenoic acids by macrophages. 1653

—, *See* Scott, Pawlowski, Andreach, and Cohn.

—, *See* Scott, Pawlowski, Murray, Andreach, Zrike, and Cohn.

Pfaffenbach, G., Lamm, M. E., and Gigli, I. Activation of the guinea pig alternative complement pathway by mouse IgA immune complexes. 231

Pfizenmaier, K. *See* Wagner, Hardt, Rouse, Röllinghoff, Scheurich, and Pfizenmaier.

Pham, D. *See* Bernard, Gelin, Raynal, Pham, Gosse, and Boumsell.

Phillips, S. M. *See* Neilson and Phillips.

—, *See* Neilson and Phillips.

Pierce, S. K. *See* Speck and Pierce.

Plata, F. Specificity studies of cytolytic T lymphocytes directed against murine leukemia virus-induced tumors. Analysis by monoclonal cytolytic T lymphocytes. 1050

Plate, J. M. D., McDaniel, C. A., Flaherty, L., Stimpfling, J. H., Melvold, R. W., and Martin, N. Q. Antigen-specific soluble helper activity for murine major histocompatibility complex-encoded molecules. I. Kinetics of factor production after skin transplantation and genetic mapping of the H-2 region specificity. 681

Platt, J. L., LeBain, T. W., and Michael, A. F. Interstitial mononuclear cell populations in renal graft rejection. Identification by monoclonal antibodies in tissue sections. 17

Plunkett, M. L., Coligan, J. E., David, C. S., and Freed, J. H. Intragenic recombination in an $E\beta$ gene for a murine Ia antigen. 937

Pollard, M. K. *See* Marsh, Hsu, Roebber, Ehrlich-Kautzky, Freidhoff, Meyers, Pollard, and Bias.

Pontes de Carvalho, L. C., Templeman, J., Wick, G., and Roitt, I. M. The role of self-antigen in the development of autoimmunity in Obese strain chickens with spontaneous autoallergic thyroiditis. 1255

Postlethwaite, A. E., Jackson, B. K., Beachey, E. H., and Kang, A. H. Formation of multinucleated giant cells from human monocyte precursors. Mediation by a soluble protein from antigen- and mitogen-stimulated lymphocytes. 168

Powers, M. L. *See* Nepom, Weiner, Dichter, Tardieu, Spriggs, Gramm, Powers, Fields, and Greene.

Pravtcheva, D. *See* Slate, D'Eustachio, Pravtcheva, Cunningham, Nagata, Weissmann, and Ruddle.

Ptak, W. *See* Britz, Askenase, Ptak, Steinman, and Gershon.

Pukel, C. S., Lloyd, K. O., Travassos, L. R., Dippold, W. G., Oettgen, H. F., and Old, L. J. G_{D3}, a prominent ganglioside of human melanoma. Detection and characterization by mouse monoclonal antibody. 1133

Puré, E. *See* Isakson, Puré, Vitetta, and Krammer.

Q

Quan, Z. S. *See* Quintańs, Quan, and Arias.

Quintańs, J., Quan, Z. S., and Arias, M. A. Mice with the *xid* defect have helper cells for T15 idiotype-dominant anti-phosphorylcholine primary and secondary plaque-forming cell responses. 1245

R

Rabinovitch, M., Dedet, J.-P., Ryter, A., Robineaux, R., Topper, G., and Brunet, E. Destruction of *Leishmania mexicana amazonensis* amastigotes within macrophages in culture by phenazine methosulfate and other electron carriers. 415

Radaszkiewicz, T. *See* Rolink, Radaszkiewicz, Pals, van der Meer, and Gleichmann.

Ramstedt, U. *See* Landegren, Ramstedt, Axberg, Ullberg, Jondal, and Wigzell.

Rappaport, R. S., and Dodge, G. R. Prostaglandin E inhibits the production of human interleukin 2. 943

Raulet, D. H., and Bevan, M. J. Helper T cells for cytotoxic T lymphocytes need not be I region restricted. 1764

Raulet, D. H. *See* Klein, Raulet, Pasternack, and Bevan.
Raveche, E. S. *See* DeFranco, Raveche, Asofsky, and Paul.
Raynal, B. *See* Bernard, Gelin, Raynal, Pham, Gosse, and Boumsell.
Reeves, J. P. *See* Laskin, Smathers, Reeves, and Steinberg.
Rennard, S. I. *See* Szarfman, Terranova, Rennard, Foidart, de Fatima Lima, Scheinman, and Martin.
Rieger, B. *See* Cyong, Witkin, Rieger, Barbarese, Good, and Day.
Risser, R. *See* McCubrey and Risser.
Robineaux, R. *See* Rabinovitch, Dedet, Ryter, Robineaux, Topper, and Brunet.
Roebber, M. *See* Marsh, Hsu, Roebber, Ehrlich-Kautzky, Freidhoff, Meyers, Pollard, and Bias.
—, *See* Marsh, Meyers, Freidhoff, Ehrlich-Kautzky, Roebber, Norman, Hsu, and Bias.
Roitt, I. M. *See* Pontes de Carvalho, Templeman, Wick, and Roitt.
Roizman, B. *See* Centifanto-Fitzgerald, Yamaguchi, Kaufman, Tognon, and Roizman.
Rojkind, M. *See* de L. Muñoz, Calderón, and Rojkind.
Rolink, A. G., Radaszkiewicz, T., Pals, S. T., van der Meer, W. G. J., and Gleichmann, E. Allosuppressor and allohelper T cells in acute and chronic graft-vs.-host disease. I. Alloreactive suppressor cells rather than killer T cells appear to be the decisive effector cells in lethal graft-vs.-host disease. 1501
—, *See* van Rappard-van der Veen, Rolink, and Gleichmann.
Röllinghoff, M. *See* Wagner, Hardt, Rouse, Röllinghoff, Scheurich, and Pfizenmaier.
Roschelle, S. *See* Wortis, Burkly, Hughes, Roschelle, and Waneck.
Rose, L. M. *See* Goldman, Rose, Hochmann, and Lambert.
Rosenberg, S. A. *See* Grimm, Mazumder, Zhang, and Rosenberg.
Ross, E. A. M., Anderson, N., and Micklem, H. S. Serial depletion and regeneration of the murine hematopoietic system. Implications for hematopoietic organization and the study of cellular aging. 432
Ross, G. D., and Lambris, J. D. Identification of a C3bi-specific membrane complement receptor that is expressed on lymphocytes, monocytes, neutrophils, and erythrocytes. 96
—, *See* Lambris and Ross.
Rothenberg, E., A specific biosynthetic marker for immature thymic lymphoblasts. Active synthesis of thymus leukemia antigen restricted to proliferating cells. 140
Rouse, B. T. *See* Wagner, Hardt, Rouse, Röllinghoff, Scheurich, and Pfizenmaier.
Rouzer, C. A., Scott, W. A., Hamill, A. L., and Cohn, Z. A. Synthesis of leukotriene C and other arachidonic acid metabolites by mouse pulmonary macrophages. 720
Rowe, W. P. *See* Kozak and Rowe.
Royston, I. *See* Huber, Merkenschlager, Gattringer, Royston, Fink, and Braunsteiner.
Ruddle, F. H. *See* Slate, D'Eustachio, Pravtcheva, Cunningham, Nagata, Weissmann, and Ruddle.
—, *See* Yagi, D'Eustachio, Ruddle, and Koshland.
Ryter, A. *See* Rabinovitch, Dedet, Ryter, Robineaux, Topper, and Brunet.

S

Sachs, D. H. *See* Miller, Nadler, Hodes, and Sachs.
Sacks, D. L., Esser, K. M., and Sher, A. Immunization of mice against African trypanosomiasis using anti-idiotypic antibodies. 1108
Salahuddin, S. Z., Markham, P. D., and Gallo, R. C. Establishment of long-term monocyte suspension cultures from normal human peripheral blood. 1842
Scheinman, J. I. *See* Szarfman, Terranova, Rennard, Foidart, de Fatima Lima, Scheinman, and Martin.
Scher, I. *See* Mond, Scher, Cossman, Kessler, Mongini, Hansen, Finkelman, and Paul.
Scheurich, P. *See* Wagner, Hardt, Rouse, Röllinghoff, Scheurich, and Pfizenmaier.
Schreiber, H. *See* Urban, Burton, Holland, Kripke, and Schreiber.
Schwartz, A., Sutton, S. L., and Gershon, R. K. Regulation of in vitro cytotoxic T lymphocyte generation. I. Evidence that killer cell precursors differentiate to effector cells in two steps. 783
Schwartz, B. S., Levy, G. A., Fair, D. S., and Edgington, T. S. Murine lymphoid procoagulant activity induced by bacterial lipopolysaccharide and immune complexes is a monocyte prothrombinase. 1464
Schwartz, R. H. *See* Heber-Katz, Schwartz, Matis, Hannum, Fairwell, Appella, and Hansburg.
—, *See* Matis, Jones, Murphy, Hedrick, Lerner, Janeway, McNicholas, and Schwartz.
—, *See* McNicholas, Murphy, Matis, Schwartz, Lerner, Janeway, and Jones.
Scott, W. A., Pawlowski, N. A., Andreach, M., and Cohn, Z. A. Resting macrophages produce distinct metabolites from exogenous arachidonic acid. 535
—, **Pawlowski, N. A., Murray, H. W., Andreach, M., Zrike, J., and Cohn, Z. A.** Regulation of arachidonic acid metabolism by macrophage activation. 1148
—, *See* Pawlowski, Scott, Andreach, and Cohn.
—, *See* Rouzer, Scott, Hamill, and Cohn.
Shannon, B. T. *See* Pandy, Shannon, Tsang, Fudenberg, and Camblin.
Shapiro, M. E., Onderdonk, A. B., Kasper, D. L., and Finberg, R. W. Cellular immunity to *Bacteroides fragilis* capsular polysaccharide. 1188
Sharrow, S. O. *See* Bradley, Morrissey, Sharrow, and Singer.
Shearer, G. M. *See* Hurtenbach and Shearer.
Sheedy, D. *See* Ozer, Cowens, Colvin, Nussbaum-Blumenson, and Sheedy.
Shelhamer, J. H. *See* Lane, Shelhamer, Mostowski, and Fauci.
Shen, F.-W. *See* McDougal, Shen, Cort, and Bard.
—, *See* Yakura, Shen, Bourcet, and Boyse.
Sher, A. *See* Sacks, Esser, and Sher.
Sherman, L. A. Influence of the major histocompatibility complex on the repertoire of allospecific cytolytic T lymphocytes. 380
—, *See* Wylie, Sherman, and Klinman.
Shevach, E. M. *See* Clark and Shevach.
Shiozawa, C. *See* Jaworski, Shiozawa, and Diener.
Sihvola, M. *See* Hurme, Sihvola, and Bång.
Simpson, W. A. *See* Hasty, Beachey, Simpson, and Dale.
Singer, A., Hathcock, K. S., and Hodes, R. J. Self recognition in allogeneic thymic chimeras. Self recognition by T helper cells from thymus-engrafted nude mice is retricted to the thymic H-2 haplotype. 339

Singer, A. *See* Bradley, Morrissey, Sharrow, and Singer.
—, *See* Kruisbeek, Hathcock, Hodes, and Singer.
Slate, D. L., D'Eustachio, P., Pravtcheva, D., Cunningham, A. C., Nagata, S., Weissmann, C.,, and Ruddle, F. H. Chromosomal location of a human α interferon gene family. 1019
Slavon, S. *See* Krolick, Uhr, Slavon, and Vitetta.
Smathers, P. A. *See* Laskin, Smathers, Reeves, and Steinberg.
Speck, N. A., and Pierce, S. K. The collaborative phenotype of secondary B cells is determined by T lymphocytes during in vivo immunizations. 574
Spellman, C., and Anderson, R. E. Low dose radiosensitivity of alloimmune cytotoxic T cells. 1858
Sprent, J. *See* Alpert and Sprent.
—, *See* Korngold and Sprent.
Spriggs, D. R. *See* Nepom, Weiner, Dichter, Tardieu, Spriggs, Gramm, Powers, Fields, and Greene.
Spurll, G. M. *See* Owen, Spurll, and Panageas.
Steinberg, A. D. *See* Laskin, Smathers, Reeves, and Steinberg.
Steinman, R. M. *See* Britz, Askenase, Ptak, Steinman, and Gershon.
—, *See* Van Voorhis, Hair, Steinman, and Kaplan.
Stimpfling, J. H. *See* Plate, McDaniel, Flaherty, Stimpfling, Melvold, and Martin.
Streilein, J. W., Lonsberry, L. W., and Bergstresser, P. R. Depletion of epidermal Langerhans cells and Ia immunogenicity from tape-stripped mouse skin. 863
Stuart, J. M., Cremer, M. A., Townes, A. S., and Kang, A. H. Type II collagen-induced arthritis in rats. Passive transfer with serum and evidence that IgG anticollagen antibodies can cause arthritis. 1
Sutton, S. L. *See* Schwartz, Sutton, and Gershon.
Swan, D. *See* McBride, Hieter, Hollis, Swan, Otey, and Leder.
Swierkosz, J. E. *See* Jayaraman, Swierkosz, and Bellone.
Szarfman, A., Terranova, V. P., Rennard, S. I., Foidart, J.-M., de Fatima Lima, M., Scheinman, J. I., and Martin, G. R. Antibodies to laminin in Chagas' disease. 1161

T

Tagliabue, A., Befus, A. D., Clark, D. A., and Bienenstock, J. Characteristics of natural killer cells in the murine intestinal epithelium and lamina propria. 1785
Takamiya, H. *See* Oite, Batsford, Mihatsch, Takamiya, and Vogt.
Takaoki, M. *See* Abbas, Takaoki, and Greene.
Takatsu, K. *See* Howard, Farrar, Hilfiker, Johnson, Takatsu, Hamaoka, and Paul.
Taniguchi, M. *See* Tokuhisa and Taniguchi.
Tardieu, M. *See* Nepom, Weiner, Dichter, Tardieu, Spriggs, Gramm, Powers, Fields, and Greene.
Templeman, J. *See* Pontes de Carvalho, Templeman, Wick, and Roitt.
Terranova, V. P. *See* Szarfman, Terranova, Rennard, Foidart, de Fatima Lima, Scheinman, and Martin.
Theofilopoulos, A. N. *See* Hang, Theofilopoulos, and Dixon.
Thomas, W. R. *See* McKimm-Breschkin, Mottram, Thomas, and Miller.
Thorbecke, G. J. *See* Belsito, Flotte, Lim, Baer, Thorbecke, and Gigli.
Tognon, M. *See* Centifanto-Fitzgerald, Yamaguchi, Kaufman, Tognon, and Roizman.
Tokuhisa, T., and Taniguchi, M. Two distinct allotypic determinants on the antigen-specific suppressor and enhancing T cell factors that are encoded by genes linked to the immunoglobulin heavy chain locus. 126
—, *See* Herzenberg and Tokuhisa.
—, *See* Herzenberg, Tokuhisa, Parks, and Herzenberg.
Tonegawa, S. *See* Kurosawa and Tonegawa.
Tonkonogy, S. *See* Forman, Trial, Tonkonogy, and Flaherty.
Topper, G. *See* Rabinovitch, Dedet, Ryter, Robineaux, Topper, and Brunet.
Townes, A. S. *See* Stuart, Cremer, Townes, and Kang.
Travassos, L. R. *See* Pukel, Lloyd, Travassos, Dippold, Oettgen, and Old.
Trial, J. *See* Forman, Trial, Tonkonogy, and Flaherty.
Tsang, K. Y. *See* Pandy, Shannon, Tsang, Fudenberg, and Camblin.
Tse, H. Y., Mond, J. J., and Longo, D. L. B lymphocyte immune response gene phenotype is genetically determined. 1239
Tucker, M. J., and Bretscher, P. A. T cells cooperating in the induction of delayed-type hypersensitivity act via the linked recognition of antigenic determinants. 1037

U

Uhr, J. W. *See* Krolick, Uhr, Slavon, and Vitetta.
Ullberg, M. *See* Landegren, Ramstedt, Axberg, Ullberg, Jondal, and Wigzell.
Urban, J. L., Burton, R. C., Holland, J. M., Kripke, M. L., and Schreiber, H. Mechanisms of syngeneic tumor rejection. Susceptibility of host-selected progressor variants to various immunological effector cells. 557

V

Vaithilingam, D. S., and Axelrad, A. A. Novel differentiation antigens on late erythrocytic progenitor cells detected by alloantisera made between mouse strains congenic at the *Fv-2* locus. 1491
Vallera, D. A., Youle, R. J., Neville, D. M., Jr., and Kersey, J. H. Bone marrow transplantation across major histocompatibility barriers. V. Protection of mice from lethal graft-vs.-host disease by pretreatment of donor cells with monoclonal anti-Thy-1.2 coupled to the toxin ricin. 949
van der Meer, W. G. J. *See* Rolink, Radaszkiewicz, Pals, van der Meer, and Gleichmann.
Vánky, F., Gorsky, T., Gorsky, Y., Masucci, M.-G., and Klein, E. Lysis of tumor biopsy cells by autologous T lymphocytes activated in mixed cultures and propagated with T cell growth factor. 83
van Leeuwen, A. *See* Goulmy, van Leeuwen, Blokland, van Rood, and Biddison.
van Rappard-van der Veen, F. M., Rolink, A. G., and Gleichmann, E. Diseases caused by reactions of T lymphocytes towards incompatible structures of the major histocompatibility complex. VI. Autoantibodies characteristic of systemic lupus erythematosus

induced by abnormal T-B cell cooperation across I-E. 1555

van Rood, J. J. *See* Goulmy, van Leeuwen, Blokland, van Rood, and Biddison.

Van Snick, J. L., and Coulie, P. Monoclonal anti-IgG autoantibodies derived from lipopolysaccharide-activated spleen cells of 129/Sv mice. 219

Van Voorhis, W. C., Hair, L. S., Steinman, R. M., and Kaplan, G. Human dendritic cells. Enrichment and characterization from peripheral blood. 1172

Vitetta, E. S. *See* Isakson, Puré, Vitetta, and Krammer.

—, *See* Krolick, Uhr, Slavon, and Vitetta.

Vogt, A. *See* Oite, Batsford, Mihatsch, Takamiya, and Vogt.

W

Wagner, H., Hardt, C., Rouse, B. T., Röllinghoff, M., Scheurich, P., and Pfizenmaier, K. Dissection of the proliferative and differentiative signals controlling murine cytotoxic T lymphocyte responses. 1876

Walker, E. B., Lanier, L. L., and Warner, N. L. Concomitant induction of the cell surface expression of Ia determinants and accessory cell function by a murine macrophage tumor cell line. 629

Waltenbaugh, C. *See* Lei, Dorf, and Waltenbaugh.

Waneck, G. *See* Wortis, Burkly, Hughes, Roschelle, and Waneck.

Wannemuehler, M. J. *See* Kiyono, McGhee, Wannemuehler, and Michalek.

Warner, N. L. *See* Walker, Lanier, and Warner.

Weigle, W. O. *See* Morgan, Weigle, and Hugli.

Weil, G. J. *See* Ackerman, Weil, and Gleich.

Weiner, H. L. *See* Nepom, Weiner, Dichter, Tardieu, Spriggs, Gramm, Powers, Fields, and Greene.

Weissmann, C. *See* Slate, D'Eustachio, Pravtcheva, Cunningham, Nagata, Weissmann, and Ruddle.

Wick, G. *See* Pontes de Carvalho, Templeman, Wick, and Roitt.

Wigzell, H. *See* Heyman, Andrighetto, and Wigzell.

—, *See* Landegren, Ramstedt, Axberg, Ullberg, Jondal, and Wigzell.

Witkin, S. S. *See* Cyong, Witkin, Rieger, Barbarese, Good, and Day.

Womack, J. E. *See* O'Brien, Moore, Martin, and Womack.

Wortis, H. H., Burkly, L., Hughes, D., Roschelle, S., and Waneck, G. Lack of mature B cells in nude mice with x-linked immune deficiency. 903

Wylie, D. E., Sherman, L. A., and Klinman, N. R. Participation of the major histocompatibility complex in antibody recognition of viral antigens expressed on infected cells. 403

Y

Yagi, M., D'Eustachio, P., Ruddle, F. H., and Koshland, M. E. J chain is encoded by a single gene unlinked to other immunoglobulin structural genes. 647

Yakura, H., Shen, F.-W., Bourcet, E., and Boyse, E. A. Evidence that Lyb-2 is critical to specific activation of B cells before they become responsive to T cell and other signals. 1309

Yamaguchi, T. *See* Centifanto-Fitzgerald, Yamaguchi, Kaufman, Tognon, and Roizman.

Yamamoto, I. *See* Ohmori and Yamamoto.

Yamauchi, K., Chao, N., Murphy, D. B., and Gershon, R. K. Molecular composition of an antigen-specific, Ly-1 suppressor inducer factor. One molecule binds antigen and is I-J^- another is I-J^+, does not bind antigen, and imparts an Igh-variable region-linked restriction. 655

Youle, R. J. *See* Vallera, Youle, Neville, and Kersey.

Z

Zabriskie, J. B. *See* Hamilton, Zabriskie, Lachman, and Chen.

Zanker, B. *See* Meuer, Zanker, Hadding, and Bitter-Suermann.

Zhang, H. Z. *See* Grimm, Mazumder, Zhang, and Rosenberg.

Zrike, J. *See* Scott, Pawlowski, Murray, Andreach, Zrike, and Cohn.

Zubler, R. H., and Glasebrook, A. L. Requirement for three signals in T-independent (lipopolysaccharide-induced) as well as in T-dependent B cell responses. 666

THE JOURNAL OF EXPERIMENTAL MEDICINE

Edited by

Zanvil A. Cohn Anthony Cerami Henry G. Kunkel Maclyn McCarty

Assistant Editors

Shu Man Fu Allan R. Goldberg Carl Nathan Ralph Steinman

Advisory Editors

K. Frank Austen
Dorothy F. Bainton
Baruj Benacerraf
Dorothea Bennett
Rupert E. Billingham
Barry R. Bloom
Constantin A. Bona
Jean-Charles Cerottini
John R. David
Frank J. Dixon
Emil C. Gotschlich
Hidesaburo Hanafusa
Thomas J. Kindt
Seymour J. Klebanoff
Norman R. Klinman
Richard M. Krause
Frank Lilly
Hans J. Müller-Eberhard
Ralph L. Nachman
Robert J. North
Victor Nussenzweig
William E. Paul
Benvenuto Pernis
Robert R. Rich
David H. Sachs
Gene M. Shearer
Jonathan Sprent
Jonathan W. Uhr
William O. Weigle
Darcy B. Wilson
Henry J. Winn
Rolf M. Zinkernagel

VOLUME 155

1982

PUBLISHED MONTHLY BY

THE ROCKEFELLER UNIVERSITY PRESS

Copyright © 1982 by The Rockefeller University Press

CONTENTS

Volume 155 No. 1 January 1, 1982

1 JOHN M. STUART, MICHAEL A. CREMER, ALEXANDER S. TOWNES, and ANDREW H. KANG. Type II collagen-induced arthritis in rats. Passive transfer with serum and evidence that IgG anticollagen antibodies can cause arthritis

17 JEFFREY L. PLATT, TUCKER W. LEBAIN, and ALFRED F. MICHAEL. Interstitial mononuclear cell populations in renal graft rejection. Identification by monoclonal antibodies in tissue sections

31 R. I. LECHLER and J. R. BATCHELOR. Restoration of immunogenicity to passenger cell-depleted kidney allografts by the addition of donor strain dendritic cells

42 MA. DE L. MUÑOZ, J. CALDERÓN, and M. ROJKIND. The collagenase of *Entamoeba histolytica*

52 FRANCES L. OWEN, GWENDOLINE M. SPURLL, and ELLEN PANAGEAS. Tthy^d, a new thymocyte alloantigen linked to Igh-L. Implications for a switch mechanism for T cell antigen receptors

61 TERRY L. DELOVITCH, JOHN F. HARRIS, RENA BATTISTELLA, and KATIE KAUFMAN. Role of Ia antigens in graft vs. host reactions. II. Molecular and functional analysis of T cell alloreactivity by the characterization of host Ia antigens on alloactivated donor T cells

83 FARKAS VÁNKY, TIKVA GORSKY, YORAM GORSKY, MARIA-GRAZIA MASUCCI, and EVA KLEIN. Lysis of tumor biopsy cells by autologous T lymphocytes activated in mixed cultures and propagated with T cell growth factor

96 GORDON D. ROSS and JOHN D. LAMBRIS. Identification of a C3bi-specific membrane complement receptor that is expressed on lymphocytes, monocytes, neutrophils, and erythrocytes

111 THOMAS R. HÜNIG and MICHAEL J. BEVAN. Antigen recognition by cloned cytotoxic T lymphocytes follows rules predicted by the altered-self hypothesis

126 TAKESHI TOKUHISA and MASARU TANIGUCHI. Two distinct allotypic determinants on the antigen-specific suppressor and enhancing T cell factors that are encoded by genes linked to the immunoglobulin heavy chain locus

140 ELLEN ROTHENBERG. A specific biosynthetic marker for immature thymic lymphoblasts. Active synthesis of thymus leukemia antigen restricted to proliferating cells

155 JERRY T. NEPOM, HOWARD L. WEINER, MARC A. DICHTER, MARC TARDIEU, DALE R. SPRIGGS, COLETTE F. GRAMM, M. LINDA POWERS, BERNARD N. FIELDS, and MARK I. GREENE. Identification of a hemagglutinin-specific idiotype associated with reovirus recognition shared by lymphoid and neural cells

168 ARNOLD E. POSTLETHWAITE, BARBARA K. JACKSON, EDWIN H. BEACHEY, and ANDREW H. KANG. Formation of multinucleated giant cells from human monocyte precursors. Mediation by a soluble protein from antigen- and mitogen-stimulated lymphocytes

179 ERIC G. NEILSON and S. MICHAEL PHILLIPS. Suppression of interstitial nephritis by auto-anti-idiotypic immunity

190 GERALDINE G. P. MILLER, PAUL I. NADLER, RICHARD J. HODES, and DAVID H. SACHS. Modification of T cell antinuclease idiotype expression by in vivo administration of anti-idiotype

201 YOSHIKAZU KUROSAWA and SUSUMU TONEGAWA. Organization, structure, and assembly of immunoglobulin heavy chain diversity DNA segments

219 JACQUES L. VAN SNICK and PIERRE COULIE. Monoclonal anti-IgG autoantibodies derived from lipopolysaccharide-activated spleen cells of 129/Sv mice

231 GERTRUDE PFAFFENBACH, MICHAEL E. LAMM, and IRMA GIGLI. Activation of the guinea pig alternative complement pathway by mouse IgA immune complexes

248 M. A. JAWORSKI, C. SHIOZAWA, and E. DIENER. Triggering of affinity-enriched B cells. Analysis of B cell stimulation by antigen-specific helper factor or lipopolysaccharide. I. Dissection into proliferative and differentiative signals

264 HARVEY CARP. Mitochondrial *N*-formylmethionyl proteins as chemoattractants for neutrophils

276 HOWARD OZER, J. WAYNE COWENS, MICHAEL COLVIN, ANNIE NUSSBAUM-BLUMENSON, and DAVID SHEEDY. In vitro effects of 4-hydroperoxycyclophosphamide on human immunoregulatory T subset function. I. Selective effects on lymphocyte function in T-B cell collaboration

291 DONALD V. BELSITO, THOMAS J. FLOTTE, HENRY W. LIM, RUDOLF L. BAER, G. JEANNETTE THORBECKE, and IRMA GIGLI. Effect of glucocorticosteroids on epidermal Langerhans cells

303 G. W. Butcher, J. R. Corvalán, D. R. Licence, and J. C. Howard. Immune response genes controlling responsiveness to major transplantation antigens. Specific major histocompatibility complex-linked defect for antibody responses to class I alloantigens

BRIEF DEFINITIVE REPORTS

321 Toru Abo, Max D. Cooper, and Charles M. Balch. Postnatal expansion of the natural killer and killer cell populations in humans identified by the monoclonal HNK-1 antibody

327 M. Hurme, M. Sihvola, and B. Bäz. During lymphatic regeneration, precursors for major histocompatibility complex-restricted cytotoxic T cells appear before alloreactive precursors

333 H. Clifford Lane, James H. Shelhamer, Howard S. Mostowski, and Anthony S. Fauci. Human monoclonal anti-keyhole limpet hemocyanin antibody-secreting hybridoma produced from peripheral blood B lymphocytes of a keyhole limpet hemocyanin-immune individual

339 Alfred Singer, Karen S. Hathcock, and Richard J. Hodes. Self recognition in allogeneic thymic chimeras. Self recognition by T helper cells from thymus-engrafted nude mice is restricted to the thymic H-2 haplotype

Volume 155 No. 2 February 1, 1982

345 Ikuo Hara, Shozo Izui, and Frank J. Dixon. Murine serum glycoprotein gp70 behaves as an acute phase reactant

358 Rhodri Ceredig, Andrew L. Glasebrook, and H. Robson MacDonald. Phenotypic and functional properties of murine thymocytes. I. Precursors of cytolytic T lymphocytes and interleukin 2-producing cells are all contained within a subpopulation of "mature" thymocytes as analyzed by monoclonal antibodies and flow microfluorometry

380 Linda A. Sherman. Influence of the major histocompatibility complex on the repertoire of allospecific cytolytic T lymphocytes

390 Andreas Jörg, William R. Henderson, Robert C. Murphy, and Seymour J. Klebanoff. Leukotriene generation by eosinophils

403 D. E. Wylie, L. A. Sherman, and N. R. Klinman. Participation of the major histocompatibility complex in antibody recognition of viral antigens expressed on infected cells

415 Michel Rabinovitch, Jean-Pierre Dedet, Antoinette Ryter, Roger Robineaux, Gail Topper, and Evelyne Brunet. Destruction of *Leishmania mexicana amanzonensis* amastigotes within macrophages in culture by phenazine methosulfate and other electron carriers

432 E. A. M. Ross, N. Anderson, and H. S. Micklem. Serial depletion and regeneration of the murine hematopoietic system. Implications for hematopoietic organization and the study of cellular aging

445 Laurie H. Glimcher, Kyung-Jin Kim, Ira Green, and William E. Paul. Ia antigen-bearing B cell tumor lines can present protein antigen and alloantigen in a major histocompatibility complex-restricted fashion to antigen-reactive T cells

460 T. Oite, S. R. Batsford, M. J. Mihatsch, H. Takamiya, and A. Vogt. Quantitative studies of *in situ* immune complex glomerulonephritis in the rat induced by planted, cationized antigen

475 Ysolina M. Centifanto-Fitzgerald, Tatsuo Yamaguchi, Herbert E. Kaufman, Mauro Tognon, and Bernard Roizman. Ocular disease pattern induced by herpes simplex virus is genetically determined by a specific region of viral DNA

490 Janet M. McNicholas, Donal B. Murphy, Louis A. Matis, Ronald H. Schwartz, Ethan A. Lerner, Charles A. Janeway, Jr., and Patricia P. Jones. Immune response gene function correlates with the expression of an Ia antigen. I. Preferential association of certain A_e and E_α chains results in a quantitative deficiency in expression of an A_e:E_α complex

508 Louis A. Matis, Patricia P. Jones, Donal B. Murphy, Stephen M. Hedrick, Ethan A. Lerner, Charles A. Janeway, Jr., Janet M. McNicholas, and Ronald H. Schwartz. Immune response gene function correlates with the expression of an Ia antigen. II. A quantitative deficiency in A_e:E_α complex expression causes a corresponding defect in antigen-presenting cell function

524 Christine A. Kozak and Wallace P. Rowe. Genetic mapping of ecotropic murine leukemia virus-inducing loci in six inbred strains

535 WILLIAM A. SCOTT, NICHOLAS A. PAWLOWSKI, MARIANNE ANDREACH, and ZANVIL A. COHN. Resting macrophages produce distinct metabolites from exogenous arachidonic acid

548 BARBARA ALPERT and J. SPRENT. Role of the *H-2* complex in induction of T helper cells in vivo. III. Contribution of the *I-E* subregion to restriction sites recognized by I-A/E-restricted T cells

557 JAMES L. URBAN, ROBERT C. BURTON, J. MICHAEL HOLLAND, MARGARET L. KRIPKE, and HANS SCHREIBER. Mechanisms of syngeneic tumor rejection. Susceptibility of host-selected progressor variants to various immunological effector cells

574 NANCY A. SPECK and SUSAN K. PIERCE. The collaborative phenotype of secondary B cells is determined by T lymphocytes during in vivo immunizations

587 JYONG-CHYUL CYONG, STEVEN S. WITKIN, BARBARA RIEGER, ELISA BARBARESE, ROBERT A. GOOD, and NOORBIBI K. DAY. Antibody-independent complement activation by myelin via the classical complement pathway

BRIEF DEFINITIVE REPORTS

599 ALLESANDRO MORETTA, ROBERTO S. ACCOLLA, and JEAN-CHARLES CEROTINI. IL-2-mediated T cell proliferation in humans is blocked by a monoclonal antibody directed against monomorphic determinants of HLA-DR antigens

605 HIROSHI KIYONO, JERRY R. MCGHEE, MICHAEL J. WANNEMUEHLER, and SUZANNE M. MICHALEK. Lack of oral tolerance in C3H/HeJ mice

611 ABBOT F. CLARK and J. DONALD CAPRA. Ubiquitous nonimmunoglobulin *p*-azobenzenearsonate-binding molecules from lymphoid cells

617 RH. CEREDIG, E. J. JENKINSON, H. R. MACDONALD, and J. J. T. OWEN. Development of cytolitic T lymphocyte precursors in organ-cultured mouse embryonic thymus rudiments

623 FEDERICO CALIGARIS-CAPPIO, MARCO GOBBI, MARGARITA BOFILL, and GEORGE JANOSSY. Infrequent normal B lymphocytes express features of B-chronic lymphocytic leukemia

629 EDWIN B. WALKER, LEWIS L. LANIER, and NOEL L. WARNER. Concomitant induction of the cell surface expression of Ia determinants and accessory cell function by a murine macrophage tumor cell line

635 ROBERT B. CLARK and ETHAN M. SHEVACH. Generation of T cell colonies from responder strain 2 guinea pigs which recognize the copolymer L-glutamic acid, L-lysine in association with nonresponder strain 13 Ia antigens

641 S. JAYARAMAN, J. E. SWIERKOSZ, and C. J. BELLONE. T cell replacing factor substitutes for an I-J$^+$ idiotype-specific T helper cell

Volume 155 No. 3 March 1, 1982

647 MAYUMI YAGI, PETER D'EUSTACHIO, FRANK H. RUDDLE, and MARIAN ELLIOTT KOSHLAND. J chain is encoded by a single gene unlinked to other immunoglobulin structural genes

655 KATSUMI YAMAUCHI, NELSON CHAO, DONAL B. MURPHY, and RICHARD K. GERSHON. Molecular composition of an antigen-specific, Ly-1 suppressor inducer factor. One molecule binds antigen and is I-J$^-$; another is I-J$^+$, does not bind antigen, and imparts an Igh-variable region-linked restriction

666 RUDOLF H. ZUBLER and ANDREW L. GLASEBROOK. Requirement for three signals in "T-independent" (lipopolysaccharide-induced) as well as in T-dependent B cell responses

681 JANET M. D. PLATE, CATHLEEN A. MCDANIEL, LORRAINE FLAHERTY, JACK H. STIMPFLING, ROGER W. MELVOLD, and NANCY Q. MARTIN. Antigen-specific soluble helper activity for murine major histocompatibility complex-encoded molecules. I. Kinetics of factor production after skin transplantation and genetic mapping of the H-2 region specificity

698 STEFAN MEUER, BERND ZANKER, ULRICH HADDING, and DIETER BITTER-SUERMANN. Low zone desensitization: a stimulus-specific control mechanism of cell response. Investigations on anaphylatoxin-induced platelet secretion

711 CHARLOTTE CUNNINGHAM-RUNDLES. Naturally occurring autologous anti-idiotypic antibodies. Participation in immune complex formation in selective IgA deficiency

720 CAROL A. ROUZER, WILLIAM A. SCOTT, ANNE L. HAMILL, and ZANVIL A. COHN. Synthesis of leukotriene C and other arachidonic acid metabolites by mouse pulmonary macrophages

734 PETER C. ISAKSON, ELLEN PURÉ, ELLEN S. VITETTA, and PETER H. KRAMMER. T cell-derived B cell differentiation factor(s). Effect on the isotype switch of murine B cells

749 JAMES FORMAN, JOANN TRIAL, SUSAN TONKONOGY, and LORRAINE FLAHERTY. THE *Qa2* subregion controls the expression of two antigens recognized by the *H-2*-unrestricted cytotoxic T cells

768 JO-ANN KEENE and JAMES FORMAN. Helper activity is required for the in vivo generation of cytotoxic T lymphocytes

783 ANTHONY SCHWARTZ, SANDRA L. SUTTON, and RICHARD K. GERSHON. Regulation of in vitro cytotoxic T lymphocyte generation. I. Evidence that killer cell precursors differentiate to effector cells in two steps

797 K. A. JOINER, C. H. HAMMER, E. J. BROWN, R. J. COLE, and M. M. FRANK. Studies on the mechanism of bacterial resistance to complement-mediated killing. I. Terminal complement components are deposited and released from *Salmonella minnesota* S218 without causing bacterial death

809 K. A. JOINER, C. H. HAMMER, E. J. BROWN, and M. M. FRANK. Studies on the mechanism of bacterial resistance to complement-mediated killing. II. C8 and C9 release C5b67 from the surface of *Salmonella minnesota* S218 because the terminal complex does not insert into the bacterial outer membrane

820 JOHN W. MOORHEAD. Antigen receptors on murine T lymphocytes in contact sensitivity. III. Mechanism of negative feedback regulation by auto-anti-idiotypic antibody

831 J. S. MCDOUGAL, F. W. SHEN, S. P. CORT, and J. BARD. Two Ly-1 T helper cell subsets distinguished by Qa-1 phenotype. The priming environment determines whether one or both subsets will be generated

839 TARO KURITANI and MAX D. COOPER. Human B cell differentiation. I. Analysis of immunoglobulin heavy chain switching using monoclonal anti-immunoglobulin M, G, and A antibodies and pokeweed mitogen-induced plasma cell differentiation

852 GARY L. MILBURN and RICHARD G. LYNCH. Immunoregulation of murine myeloma in vitro. II. Suppression of MOPC-315 immunoglobulin secretion and synthesis by idiotype-specific suppressor T cells

863 J. WAYNE STREILEIN, LANYA WHITE LONSBERRY, and PAUL R. BERGSTRESSER. Depletion of epidermal Langerhans cells and Ia immunogenicity from tape-stripped mouse skin

872 ROBERT KORNGOLD and JONATHAN SPRENT. Features of T cells causing H-2-restricted lethal graft-vs.-host disease across minor histocompatibility barriers

884 PATRICIA K. A. MONGINI, WILLIAM E. PAUL, and ELEANOR S. METCALF. T cell regulation of immunoglobulin class expression in the antibody response to trinitrophenyl-Ficoll. Evidence for T cell enhancement of the immunoglobulin class switch

903 HENRY H. WORTIS, LINDA BURKLY, DEBBIE HUGHES, SANDRA ROSCHELLE, and GERRY WANECK. Lack of mature B cells in nude mice with x-linked immune deficiency

914 MAUREEN HOWARD, JOHN FARRAR, MARY HILFIKER, BARBARA JOHNSON, KIYOSHI TAKATSU, TOSHIYUKI HAMAOKA, and WILLIAM E. PAUL. Identification of a T cell-derived B cell growth factor distinct from interleukin 2

924 J. J. MOND, I. SCHER, J. COSSMAN, S. KESSLER, P. K. A. MONGINI, C. HANSEN, F. D. FINKELMAN, and W. E. PAUL. Role of the thymus in directing the development of a subset of B lymphocytes

BRIEF DEFINITIVE REPORTS

937 MARIAN L. PLUNKETT, JOHN E. COLIGAN, CELLA S. DAVID, and JOHN H. FREED. Intragenic recombination in an *Eβ* gene for a murine Ia antigen

943 RUTH S. RAPPAPORT and GEORGE R. DODGE. Prostaglandin E inhibits the production of human interleukin 2

949 DANIEL A. VALLERA, RICHARD J. YOULE, DAVID M. NEVILLE, JR., and JOHN H. KERSEY. Bone marrow transplantation across major histocompatibility barriers. V. Protection of mice from lethal graft-vs.-host disease by pretreatment of donor cells with monoclonal anti-Thy-1.2 coupled to the toxin ricin

Volume 155 No. 4 April 1, 1982

955 HUAN-YAO LEI, MARTIN E. DORF, and CARL WALTENBAUGH. Regulation of immune responses by *I-J* gene products. II. Presence of both $I\text{-}J^b$ and $I\text{-}J^k$ suppressor factors in (nonsuppressor × nonsuppressor)F_1 mice

968 MARTIN A. CHEEVER, PHILIP D. GREENBERG, ALEXANDER FEFER, and STEVEN GILLIS. Augmentation of the anti-tumor therapeutic efficacy of long-term cultured T lymphocytes by in vivo administration of purified interleukin 2

981 MANUEL FRESNO, LAILA MCVAY-BOUDREAU, and HARVEY CANTOR. Antigen-specific T lymphocyte clones. III. Papain splits purified T suppressor molecules into two functional domains

994 BIRGITTA HEYMAN, GIANCARLO ANDRIGHETTO, and HANS WIGZELL. Antigen-dependent IgM-mediated enhancement of the sheep erythrocyte response in mice. Evidence for induction of B cells with specificities other than that of the injected antibodies

1010 DAVID L. HASTY, EDWIN H. BEACHEY, W. ANDREW SIMPSON, and JAMES B. DALE. Hybridoma antibodies against protective and nonprotective antigenic determinants of a structurally defined polypeptide fragment of streptococcal M protein

1019 DORIS L. SLATE, PETER D'EUSTACHIO, DIMITRINA PRAVTCHEVA, ANN C. CUNNINGHAM, SHIGEKAZU NAGATA, CHARLES WEISSMANN, and FRANK H. RUDDLE. Chromosomal location of a human α interferon gene family

1025 CARL A. LASKIN, PATRICIA A. SMATHERS, J. PATTON REEVES, and ALFRED D. STEINBERG. Studies of defective tolerance induction in NZB mice. Evidence for a marrow pre-T cell defect

1037 M. J. TUCKER and P. A. BRETSCHER. T cells cooperating in the induction of delayed-type hypersensitivity act via the linked recognition of antigenic determinants

1050 FERNANDO PLATA. Specificity studies of cytolytic T lymphocytes directed against murine leukemia virus-induced tumors. Analysis by monoclonal cytolytic T lymphocytes

1063 ROBERT J. NORTH. Cyclophosphamide-facilitated adoptive immunotherapy of an established tumor depends on elimination of tumor-induced suppressor T cells

1075 ERIC G. NEILSON and S. MICHAEL PHILLIPS. Murine interstitial nephritis. I. Analysis of disease susceptibility and its relationship to pleiomorphic gene products defining both immune-response genes and a restrictive requirement for cytotoxic T cells at H-2K

1086 ELLEN HEBER-KATZ, RONALD H. SCHWARTZ, LOUIS A. MATIS, CHARLES HANNUM, THOMAS FAIRWELL, ETTORE APPELLA, and DANIEL HANSBURG. Contribution of antigen-presenting cell major histocompatibility complex gene products to the specificity of antigen-induced T cell activation

1100 A. J. INFANTE, P. D. INFANTE, S. GILLIS, and C. G. FATHMAN. Definition of T cell idiotypes using anti-idiotypic antisera produced by immunization with T cell clones

1108 DAVID L. SACKS, KLAUS M. ESSER, and ALAN SHER. Immunization of mice against African trypanosomiasis using anti-idiotypic antibodies

1120 STEPHEN J. O'BRIEN, JANET L. MOORE, MALCOLM A. MARTIN, and JAMES E. WOMACK. Evidence for the horizontal acquisition of murine AKR virogenes by recent horizontal infection of the germ line

1133 CLIFFORD S. PUKEL, KENNETH O. LLOYD, LUIZ R. TRAVASSOS, WOLFGANG G. DIPPOLD, HERBERT F. OETTGEN, and LLOYD J. OLD. G_{D3}, a prominent ganglioside of human melanoma. Detection and characterization by mouse monoclonal antibody

1148 WILLIAM A. SCOTT, NICHOLAS A. PAWLOWSKI, HENRY W. MURRAY, MARIANNE ANDREACH, JOANNE ZRIKE, and ZANVIL A. COHN. Regulation of arachidonic acid metabolism by macrophage activation

1161 ANA SZARFMAN, VICTOR P. TERRANOVA, STEPHEN I. RENNARD, JEAN-MICHEL FOIDART, MARIA DE FATIMA LIMA, JON I. SCHEINMAN, and GEORGE R. MARTIN. Antibodies to laminin in Chagas' disease

1172 WESLEY C. VAN VOORHIS, LAURA S. HAIR, RALPH M. STEINMAN, and GILLA KAPLAN. Human dendritic cells. Enrichment and characterization from peripheral blood

1188 MICHAEL E. SHAPIRO, ANDREW B. ONDERDONK, DENNIS L. KASPER, and ROBERT W. FINBERG. Cellular immunity to *Bacteroides fragilis* capsular polysaccharide

BRIEF DEFINITIVE REPORTS

1198 JOHN R. KLEIN, DAVID H. RAULET, MARK S. PASTERNACK, and MICHAEL J. BEVAN. Cytotoxic T lymphocytes produce immune interferon in response to antigen or mitogen

1204 J. L. MCKIMM-BRESCHKIN, P. L. MOTTRAM, W. R. THOMAS, and J. F. A. P. MILLER. Antigen-specific production of immune interferon by T cell lines

1210 WOODRUFF EMLEN and MART MANNIK. Clearance of circulating DNA-anti-DNA immune complexes in mice

1216 ABUL K. ABBAS, MUNEO TAKAOKI, and MARK I. GREENE. T lymphocyte-mediated suppression of myeloma function in vitro. IV. Generation of effector suppressor cells specific for myeloma idiotypes

1222 CHRISTOPH HUBER, MATHIAS MERKENSCHLAGER, CLAUS GATTRINGER, IVOR ROYSTON, ULRICH FINK, and HERBERT BRAUNSTEINER. Human autologous mixed lymphocyte reactivity is primarily specific for xenoprotein determinants adsorbed to antigen-presenting cells during rosette formation with sheep erythrocytes

1228 JANARDAN P. PANDEY, BARRY T. SHANNON, KWONG Y. TSANG, H. HUGH FUDENBERG, and JOHN G. CAMBLIN. Heterozygosity at Gm loci associated with humoral immunity to osteosarcoma

1233 JAMES MCCUBREY and REX RISSER. Allelism and linkage studies of murine leukemia virus activation genes in low leukemic strains of mice

1239 HARLEY Y. TSE, JAMES J. MOND, and DAN L. LONGO. B lymphocyte immune response gene phenotype is genetically determined

1245 JOSE QUINTÁNS, ZOE S. QUAN, and MIGUEL A. ARIAS. Mice with the *xid* defect have helper cells for T15 idiotype-dominant anti-phosphorylcholine primary and secondary plaque-forming cell responses

Volume 155 No. 5 May 1, 1982

1255 L. C. PONTES DE CARVALHO, JANE TEMPLEMAN, G. WICK, and I. M. ROITT. The role of self-antigen in the development of autoimmunity in Obese strain chickens with spontaneous autoallergic thyroiditis

1267 YOSHIHIRO ASANO and RICHARD J. HODES. T cell regulation of B cell activation. T cells independently regulate the responses mediated by distinct B cell subpopulations

1277 HITOSHI OHMORI and ITARU YAMAMOTO. Mechanism of augmentation of the antibody response in vitro by 2-mercaptoethanol in murine lymphocytes. I. 2-Mercaptoethanol-induced stimulation of the uptake of cystine, an essential amino acid

1291 CARL F. NATHAN and SEYMOUR J. KLEBANOFF. Augmentation of spontaneous macrophage-mediated cytolysis by eosinophil peroxidase

1309 HIDETAKA YAKURA, FUNG-WIN SHEN, ELAINE BOURCET, and EDWARD A. BOYSE. Evidence that Lyb-2 is critical to specific activation of B cells before they become responsive to T cell and other signals

1317 ALAIN BERNARD, CATHERINE GELIN, BRIGITTE RAYNAL, DANIELE PHAM, CHARLES GOSSE, and LAURENCE BOUMSELL. Phenomenon of human T cells rosetting with sheep erythrocytes analyzed with monoclonal antibodies. "Modulation" of a partially hidden epitope determining the conditions of interaction between T cells and erythrocytes

1334 PATRICK A. BERCHE and ROBERT J. NORTH. Non-H-2 restriction of expression of passively transferred delayed sensitivity

1344 J. S. BRITZ, P. W. ASKENASE, W. PTAK, R. M. STEINMAN, and R. K. GERSHON. Specialized antigen-presenting cells. Splenic dendritic cells and peritoneal-exudate cells induced by mycobacteria activate effector T cells that are resistant to suppression

1357 J. W. CHIAO, M. ANDREEFF, W. B. FREITAG, and Z. ARLIN. Induction of in vitro proliferation and maturation of human aneuploid myelogenous leukemic cells

1370 EUGENE A. ARNOLD, IRENA KATSNELSON, and GARY J. HOFFMAN. Proliferation and differentiation of hematopoietic stem cells in long-term cultures of adult hamster spleen

1385 MICHEL GOLDMAN, LYNN MASSMAN ROSE, AGNES HOCHMANN, and PAUL HENRI LAMBERT. Deposition of idiotype-anti-idiotype immune complexes in renal glomeruli after polyclonal B cell activation

1400 JOHN D. LAMBRIS and GORDON D. ROSS. Characterization of the lymphocyte membrane receptor for factor H (β1H-globulin) with an antibody to anti-factor H idiotype

1412 EDWARD L. MORGAN, WILLIAM O. WEIGLE, and TONY E. HUGLI. Anaphylatoxin-mediated regulation of the immune response. I. C3a-mediated suppression of human and murine humoral immune responses

1427 KYOKO IIDA, RICARDO MORNAGHI, and VICTOR NUSSENZWEIG. Complement receptor deficiency in erythrocytes from patients with systemic lupus erythematosus

1439 DAVID G. MARSH, SUSAN H. HSU, MARIANNE ROEBBER, EVA EHRLICH-KAUTZKY, LINDA R. FREIDHOFF, DEBORAH A. MEYERS, M. KATHRYN POLLARD, and WILMA B. BIAS. HLA-Dw2: a genetic marker for human immune response to short ragweed pollen allergen Ra5. I. Response resulting primarily from natural antigenic exposure

1452 DAVID G. MARSH, DEBORAH A. MEYERS, LINDA R. FREIDHOFF, EVA EHRLICH-KAUTZKY, MARIANNE ROEBBER, PHILIP S. NORMAN, SUSAN H. HSU, and WILMA B. BIAS. HLA-Dw2: a genetic marker for human immune response to short ragweed pollen allergen Ra5. II. Response after ragweed immunotherapy

1464 BRADFORD S. SCHWARTZ, GARY A. LEVY, DARYL S. FAIR, and THOMAS S. EDGINGTON. Murine lymphoid procoagulant activity induced by bacterial lipopolysaccharide and immune complexes is a monocyte prothrombinase

1480 O. WESLEY MCBRIDE, PHILIP A. HIETER, GREGORY F. HOLLIS, DAVID SWAN, MILES C. OTEY, AND PHILIP LEDER. Chromosomal location of human kappa and lambda immunoglobulin light chain constant region genes

1491 D. S. VAITHILINGAM and A. A. AXELRAD. Novel differentiation antigens on late erythrocytic progenitor cells detected by alloantisera made between mouse strains congenic at the *Fv-2* locus

1501 ANTON G. ROLINK, THADDÄUS RADASZKIEWICZ, STEVEN T. PALS, WALTER G. J. VAN DER MEER, and ERNST GLEICHMANN. Allosuppressor and allohelper T cells in acute and chronic graft-vs.-host disease. I. Alloreactive suppressor cells rather than killer T cells appear to be the decisive effector cells in lethal graft-vs.-host disease

1523 ANTHONY L. DEFRANCO, ELIZABETH S. RAVECHE, RICHARD ASOFSKY, and WILLIAM E. PAUL. Frequency of B lymphocytes responsive to anti-immunoglobulin

1537 MARY KEARNS and PEEYUSH K. LALA. Bone marrow origin of decidual cell precursors in the pseudopregnant mouse uterus

BRIEF DEFINITIVE REPORTS

1555 FEIKJE M. VAN RAPPARD-VAN DER VEEN, ANTON G. ROLINK, and ERNST GLEICHMANN. Diseases caused by reactions of T lymphocytes towards incompatible structures of the major histocompatibility complex. VI. Autoantibodies characteristic of systemic lupus erythematosus induced by abnormal T-B cell cooperation across I-E

1561 TARO KURITANI and MAX D. COOPER. Human B cell differentiation. II. Pokeweed mitogen-responsive B cells belong to a surface immunoglobulin D-negative subpopulation

1567 E. GOULMY, A. VAN LEEUWEN, E. BLOKLAND, J. J. VAN ROOD, and W. E. BIDDISON. Major histocompatibility complex-restricted H-Y-specific antibodies and cytotoxic T lymphocytes may recognize different self determinants

1573 SERGYL LAFONT, CLAUDE ANDRÉ, FRANÇOISE ANDRÉ, JOHN GILLON, and MARIE-CLAIRE FARGIER. Abrogation by subsequent feeding of antibody response, including IgE, in parenterally immunized mice

1579 ULF LANDEGREN, URBAN RAMSTEDT, INGER AXBERG, MÅNS ULLBERG, MIKAEL JONDAL, and HANS WIGZELL. Selective inhibition of human T cell cytotoxicity at levels of target recognition or initiation of lysis by monoclonal OKT3 and Leu-2a antibodies

1585 CORRECTION

Volume 155 No. 6 June 1, 1982

1587 TROND JØRGENSEN and KRISTIAN HANNESTAD. Helper T cell recognition of the variable domains of a mouse myeloma protein (315). Effect of the major histocompatibility complex and domain conformation

1597 S. J. ACKERMAN, G. J. WEIL, and G. J. GLEICH. Formation of Charcot-Leyden crystals by human basophils

1610 DIDIER FRADELIZI and ION GRESSER. Interferon inhibits the generation of allospecific suppressor T lymphocytes

1623 R. ALAN B. EZEKOWITZ and SIAMON GORDON. Down-regulation of mannosyl receptor-mediated endocytosis and antigen F4/80 in bacillus Calmette-Guérin-activated mouse macrophages. Role of T lymphocytes and lymphokines

1638 SCOTT M. BRADLEY, PHILIP J. MORRISSEY, SUSAN O. SHARROW, and ALFRED SINGER. Tolerance of thymocytes to allogeneic I region determinants encountered prethymically. Evidence for expression of anti-Ia receptors by T cell precursors before their entry into the thymus

1653 NICHOLAS A. PAWLOWSKI, WILLIAM A. SCOTT, MARIANNE ANDREACH, and ZANVIL A. COHN. Uptake and metabolism of monohydro y-eicosatetraenoic acids by macrophages

1665 HARUMI JYONOUCHI, PAUL W. KINCADE, KENNETH S. LANDRETH, GRACE LEE, ROBERT A. GOOD, and M. ERIC GERSHWIN. Age-dependent deficiency of B lymphocyte lineage precursors in NZB mice

1679 SASWATI CHATTERJEE-HASROUNI and PEEYUSH K. LALA. Localization of paternal H-2K antigens on murine trophoblast cells in vivo

1690 LEMING HANG, ARGYRIOS N. THEOFILOPOULOS, and FRANK J. DIXON. A spontaneous rheumatoid arthritis-like disease in MRL/l mice

1702 JOHN A. HAMILTON, JOHN B. ZABRISKIE, LAWRENCE B. LACHMAN, and YU-SHIAW CHEN. Streptococcal cell walls and synovial cell activation. Stimulation of synovial fibroblast plasminogen activator activity by monocytes treated with group A streptococcal cell wall sonicates and muramyl dipeptide

1719 U. HURTENBACH and G. M. SHEARER. Germ cell-induced immune suppression in mice. Effect of inoculation of syngeneic spermatozoa on cell-mediated immune responses

1730 LEONORE A. HERZENBERG and TAKESHI TOKUHISA. Epitope-specific regulation. I. Carrier-specific induction of suppression for IgG anti-hapten antibody responses

1741 LEONORE A. HERZENBERG, TAKESHI TOKUHISA, DAVID R. PARKS, and LEONARD A. HERZENBERG. Epitope-specific regulation. II. A bistable, Igh-restricted regulatory mechanism central to immunologic memory

1754 STEFAN H. E. KAUFMANN and HELMUT HAHN. Biological functions of T cell lines with specificity for the intracellular bacterium *Listeria monocytogenes* in vitro and in vivo

1765 DAVID H. RAULET and MICHAEL J. BEVAN. Helper T cells for cytotoxic T lymphocytes need not be I region restricted

1785 A. TAGLIABUE, A. D. BEFUS, D. A. CLARK, and J. BIENENSTOCK. Characteristics of natural killer cells in the murine intestinal epithelium and lamina propria

1797 KEITH A. KROLICK, JONATHAN W. UHR, SHIMON SLAVON, and ELLEN S. VITETTA. In vivo therapy of a murine B cell tumor (BCL_1) using antibody-ricin A chain immunotoxins

1810 S. JAYARAMAN and C. J. BELLONE. Hapten-specific responses to the phenyltrimethylamino hapten. III. Mice whose delayed-type hypersensitivity responses cannot be abrogated by the presence of anti-idiotypic suppressor T cells lack a critical modulatory T cell function

1823 ELIZABETH A. GRIMM, AMITABHA MAZUMDER, HUA Z. ZHANG, and STEVEN A. ROSENBERG. Lymphokine-activated killer cell phenomenon. Lysis of natural killer-resistant fresh solid tumor cells by interleukin 2-activated autologous human peripheral blood lymphocytes

1842 S. ZAKI SALAHUDDIN, PHILLIP D. MARKHAM, and ROBERT C. GALLO. Establishment of long-term monocyte suspension cultures from normal human peripheral blood

BRIEF DEFINITIVE REPORTS

1858 CRAIG SPELLMAN and ROBERT E. ANDERSON. Low dose radiosensitivity of alloimmune cytotoxic T cells

1864 ADA M. KRUISBEEK, KAREN S. HATHCOCK, RICHARD J. HODES, and ALFRED SINGER. T cells from fully H-2 allogeneic (A → B) radiation bone marrow chimeras are functionally competent and host restricted but are alloreactive against hybrid Ia determinants expressed on $(A \times B)F_1$ cells

1870 PARSOTTAM J. PATEL. Aging and antimicrobial immunity: lowered efficiency of protective T cells as a contributing factor for the decreased resistance of senescent mice to listeriosis

1876 HERMANN WAGNER, CONNY HARDT, BARRY T. ROUSE, MARTIN RÖLLINGHOFF, PETER SCHEURICH, and KLAUS PFIZENMAIER. Dissection of the proliferative and differentiative signals controlling murine cytotoxic T lymphocyte responses

1883 Correction

1885 Author Index to Volume 155